INDEX TO VOLUME 55

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Abnormalities and Deformities: See under names of diseases, organs and regions, as Atrophy; Hair, abnormalities; Nails, abnormalities; Pigmentation; Skin, abnormalities; etc.
Abramowitz, E. W.: Scleredema adultorum or scleroderma, 705
Abscess: See under names of organs and regions
Acanthosis nigricans, 291
  nigricans, juvenile, and ichthyosis, 411
  nigricans, juvenile type, 139, 144
  nigricans juvenilis associated with obesity; report of case with observations on endocrine dysfunction in benign acanthosis nigricans, *749
Acarodermatitis Urticarioides: See Grain Itch
Acarus Scabiei: See Scabies
Ace Adherent, contact dermatitis due to, 400
Acetarsone, Therapy: See Pemphigus foliaceus
Achondroplasia; atypical chondrodystrophia of type Morquio associated with follicular atrophoderma, 266
Achromia: See Pigmentation; Vitiligo
Acid, Undecylenic: See Moniliasis; Ringworm
Ackerman, L. V.: Elephantiasis neuromatosa; manifestation of von Recklinghausen's disease, *233
Acne conglobata, 284
  rosacea, 844
  rosacea or lupus vulgaris, 304
  urticata; case for diagnosis, 302
  vulgaris; case for diagnosis, 138
  vulgaris treated with vitamin A, *355
Acridine Dyes; atypical lichen planus tropicalis, *535
  dermatitis from atabrine, 550
  hyperkeratosis of palms and soles due to ingestion of quinacrine hydrochloride, *256
  lichen planus-eczematoid dermatitis complex of Southwest Pacific, 549
  quinacrine hydrochloride dermatitis; case for diagnosis, 291
  quinacrine hydrochloride dermatitis occurring during war, *453
  skin sensitivity due to atabrine, 550
  unusual dermatosis simulating lichen planus and lichen corneus hypertrophicus; report of 6 cases, *12
Acrokeratosis: See Keratosis
Actinodermatitis: See under Light
Actinomyces; search for virus-inactivating substances among microorganisms, 119
Actinomycin: See Actinomyces
Actinomycosis, 299
  Madura foot (mycetoma); first report from Isthmus of Panama, *761
Adams, J., Jr.: Dermatitis medicamentosa; case for diagnosis, 414
Addison's Disease, adrenocortical cancer with undulating fever in, 835
  chronic idiopathic hypoparathyroidism with superimposed Addison's disease in child, 835
  dyskeratosis congenita with pigmentation, dystrophia unguium and leukoplakia oris; patient with evidence suggestive of Addison's disease, *242
  in infant, 835
Adhesive Plaster; contact dermatitis due to Ace Adherent, 400
Adipose Tissue: See Fat; Obesity
Adolescence; acanthosis nigricans juvenilis associated with obesity; report of case with observations on endocrine dysfunction in benign acanthosis nigricans, *749
Adrenal Preparations; epinephrine and denervation, 403
Adrenals; adrenocortical cancer with undulating fever in Addison's disease, 835
  chronic idiopathic hypoparathyroidism with superimposed Addison's disease in child, 835
  dyskeratosis congenita with pigmentation, dystrophia unguium and leukoplakia oris; patient with evidence suggestive of Addison's disease, *242
Aeronautics: See Aviation and Aviators
Aerosol: See Ringworm
Agglutinins and Agglutination: See Antigens and Antibodies; etc.
Agranulocytosis; report of 12 cases in which it followed intensive arsenotherapy for syphilis, *57
Ainhum; etiologic concepts and pathologic aspects, 117
  pathologic findings; comparison of epidermal and vascular lesions with normal toe [in Negroes], 261
Alderson, H. E.: Chronic coccogenous sycosis treated locally with penicillin, 573
  Lichenoid dermatitis (New Guinea type), 576
Allergy: See Anaphylaxis and Allergy
Allington, H. V.: Idiopathic atrophy of the skin; case for diagnosis, 737
Alopecia areata in infants, 143
  cicatrisata; pseudopelade, 424
  marginalis, inflammatory, 724
  of undetermined cause; generalized vitiligo, 425
Altar of Isenheim: See Drawings
American Board of Dermatology and Syphilology, 115, 548, 831
Amersbach, J. C.: Granuloma annulare, sarcoid or psoriasis, 151
  Rosacea, 844
Amidines; antibacterial and fungistatic properties of propamidine, 550
Amyloidosis, primary lichen; report of necropsy, *251
Anaphylaxis and Allergy: See also Food, allergy; Tuberculosis, allergy; and under names of various diseases, as Eczema; Rhus; etc.
  allergic reaction following typhus fever vaccine and yellow fever vaccine due to egg yolk sensitivity, 400
  anaphylactic shock from skin testing; 2 cases, 1 fatal, 400
  clinical use of new antihistaminic compound (pyribenzamine) in certain cutaneous disorders, *309
  effect of turpentine oil on normal and hypersensitive skin, 703
  elimination of human reaction-producing material from horse-derived antiserums; electrical method, 118
  pathogenesis of encephalitis due to salvarsan, 264
  reaction to penicillin simulating serum sickness, 261
  use of histamine antagonist, beta-dimethylaminethyl benzhydryl ether hydrochloride, in allergic disease, 832
Anderson, C. R.: Longitudinal grooving of nails caused by synovial lesions, *828
Andrews, G. C.: Sporotrichosis or secondary syphilis [treated], 727
  Trichoepithelioma, 726

Androgens; treatment of post-traumatic Simmonds' disease with methyl testosterone linguets, 834
Anemia; epithelial symptoms caused by various deficiencies, 555
pernicious, carotenemia in patient with, 724
sickle cell, in white patients with ulcers of ankles; report of 2 cases, 833
Anetoderma: See Atrophy
Angina, Agranulocytic: See Agranulocytosis
Monocytic: See Mononucleosis, Infectious
Angioma; angiomatoid formations in genital organs with and without tumor formation, 834
angiopericytoma; case for diagnosis, 726
hemangioma, 304
of scrotum, 548
Anhidrosis: See Sweat Glands
Ankle: See also Foot
sickle cell anemia in white patients with ulcers of; report of 2 cases, 833
Antigens and Antibodies: See also Lipoids; and under specific antigens and reactions as Chancroid; etc.
cardiolipin-lecithin antigen; recent development toward single standard test of blood for syphilis, *514
specificity of serologic precipitation, 118
Antimony and Antimony Compounds, Therapy: See Creeping Eruption
Anus; tuberculosis orificialis; case for diagnosis, 409
Aphthosis: See Stomatitis, aphthous
Apparatus: Finsen treatment and significance to rational combating of lupus vulgaris, 122
Appel, B.: Nevus linearis or localized scleroderma (morphea), 716
Tuberculosis orificialis; case for diagnosis, 409
Armed Forces Personnel: See also Aviation and Aviators; Military Medicine; Naval Medicine; etc.
in military dermatology, *446
Armies: See Aviation and Aviators; Military Medicine; War
Arnold, H. L., Jr.: Hyperkeratosis penetrans; report of case of probable variant of Kyrle's disease, *633
Arsenic and Arsenic Compounds: See also Arsphenamines
agranulocytosis; report of 12 cases in which it followed intensive arsenotherapy for syphilis, *57
BAL (British Anti-Lewisite), 120
Bowen's disease or tuberculosis cutis, 418
mycosis fungoides or arsenical dermatitis, 275
psoriasis; arsenical pigmentation and keratoses; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
Therapy: See Creeping Eruption; Syphilis
toxic effects of arsenical compounds as administered in United States Navy in 1944, with reference to arsenical dermatitis, 262
Arsphenamines; pathogenesis of encephalitis due to salvarsan, 264
postarsphenamine vitiligo, 272
Therapy: See under Syphilis
Art: See Drawings
Arteries: See also Vasomotor System; etc.
venospasm; its part in producing clinical picture of Raynaud's disease, 399
Arthritis, rheumatoid (Still's disease) or vascularitis of unknown origin, 849
Asthma: See Anaphylaxis and Allergy
Atabrine: See Acridine Dyes
Atopy: See Anaphylaxis and Allergy
Atrophoderma: See Atrophy
Atrophy: See also Poikiloderma atrophicans vasculare; and under names of organs and regions, as Face; etc.
atrophoderma hypoestrogenicum, 148
atypical chondrodystrophia of type Morquio associated with follicular atrophoderma, 266
ichthyosiform changes of skin associated with internal diseases, *28
idiopathic, of skin; case for diagnosis, 737
of skin; peculiar form, 265
Aviation and Aviators; treatment of mycotic infections by inhibiting respiration of dermatophytes, *379
venereal disease in Army Air Forces in continental United States, 1942-1944, 697
Avitaminoses: See under Vitamins
Axilla, Lymph Nodes: See Lymph Nodes
Axon: See Neurons
Ayres, S., Jr.: Leukoderma acquisitum centrifugum, 429
Perforating ulcer of foot in 2 sisters, 430
Ayres, S., III: Pinta, 288
Superficial epithelioma of Bowenoid type, 287

Babalian, L.: Juvenile acanthosis nigricans and ichthyosis, 411
Bacillus: See Bacteria
Bacteria: See also Pneumococci; Streptococci; Viruses; etc.
Actinobacilli: See Actinomycosis
antibacterial and fungistatic properties of propamidine, 550
Calmette-Guérin: See Tuberculosis
corynebacteria; cutaneous diphtheria and tropical ulcers, *360
Diphtheria: See Diphtheria
Ducrey's: See Chancroid
effect of urea, urethane and other carbamates on bacterial growth, 119
Leprosy: See Leprosy
Pseudomonas aeruginosa infection of ear treated with streptomycin, *257
Bacterium: See Bacteria
Baldness: See Alopecia
Barker, L. P.: Dermatitis venenata or erythroplasia, 845
Giant urticaria with lymphedema, 416
Hyperkeratosis of palms and soles due to ingestion of quinacrine hydrochloride, *256
Syphilis, early tertiary, 150
Barner, J. L.: Basal cell epithelioma in psoriatic patch, *375
Barr, J. H.: Cutaneous hörn, 282
Basophils: See Erythrocytes
Bauer, J. T.: Primary lichen amyloidosis; report of necropsy, *251
Bazin's Disease: See Erythema induratum
BCG: See under Tuberculosis
Bechet, P. E.: Nevus pigmentosus, 269
Beerman, H.: Parasitic infection or scabies, 597
Beeswax; penicillin in treatment of experimental syphilis of rabbits; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Benadryl: See Eczema; Urticaria
Bentonite: See Ointments
Benzocaine: See Pediculosis
Benzyl Benzoate: See Pediculosis; Scabies
Bernhardt, E.: Dermatophytosis of face caused by Trichophyton camerounense, *337
Binkley, G. W.: Epidermodysplasia verruciformis or chronic myeloid leukemia, 280
Bismuth and Bismuth Compounds, Therapy: See under names of various diseases, as Lupus erythematosus; Syphilis; etc.
Bistrimate Tablets: See Lupus erythematosus
Blastomycosis, 561. See also Coccidioidomycosis; Moniliasis
papulopustular verrucous sporotrichosis simulating blastomycosis, 290
Blennorrhagia: See under Gonorrhea; Keratosis
Blepharitis: See Eyelids
Blisters: See Vesication
Blood: See also Erythrocytes
carotene; carotenemia, 708
carotene; carotenemia in patient with pernicious anemia, 724
Diseases: See Anemia; Leukemia
groups; hemolytic disease and congenital syphilis in siblings, 263
identification of inhibitory factor of reticuloendothelial immune serum (REIS) in globulin fraction, 261
pemphigus vulgaris; study of blood picture, *772

Blood—Continued
penicillin levels in serum and some body fluids during systemic and local therapy, 551
Bloom, D.: Chronic lymphedema of eyelids, 709
Multiple keloids in twin sisters, 426
Bockus, H.: Leukemid or scabies, 595
Body Fluids: See Fluids
Boeck's Sarcoid: See Sarcoidosis
Boil, Jericho: See Leishmaniasis
Boils: See Furunculosis
Bones: See also under names of bones
elephantiasis neuromatosa; manifestation of von Recklinghausen's disease, *233
eosinophilic granuloma of skin; its relation to erythema elevatum diutinum and eosinophilic granuloma of bone; report of case, *194
"eosinophilic granulomas" of skin, *155
eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
eosinophilic granuloma with cutaneous manifestations; report of case, *810
melanotic nevus of cheek, apparently undergoing malignant degeneration, due to large underlying foreign body granuloma which has developed around bone formation, 265

Book Reviews:
Allergy; E. Urbach and P. M. Gottlieb, 868
Allergy in Practice; S. M. Feinberg, O. C. Durhan and C. A. Dragstedt, 864
Cosmetics and Dermatitis; L. S. Schwartz and S. M. Peck, 306
Diseases of Skin for Practitioners and Students; G. C. Andrews, 307
Girls They Left Behind; B. Hartmann, 866
Human Torulosis: Clinical, Pathological and Microbiological Study, with Report of Thirteen Cases; L. B. Cox and J. C. Tolhurst, 432
Pathology of Tropical Diseases; J. E. Ash and S. Spitz, 306
Penicillin in Neurology; A. E. Walker and H. C. Johnson, 868
Penicillin: Its Practical Application; A. Fleming, 740
Penicillin Therapy and Control in Twenty-First Army Group, 865
Practical Handbook of Pathology of Skin; J. M. H. MacLeod and I. Muende, 867
Problem of Lupus Vulgaris; R. S. Aitken, 867
Skin Diseases, Nutrition and Metabolism; E. Urbach and E. B. LeWinn, 600
Treatment by Ion Transfer (Iontophoresis); D. Abramowitsch and B. Neoussikine, 219
Tropical Medicine; L. Rogers and J. W. D. Megaw, 866
Venereal Diseases in General Practice; S. Lomholt, 308

Bouillaud's Disease: See Rheumatic Fever
Bowen's Disease: See Cancer, precancer
Brain, Diseases: See Encephalitis
Syphilis: See Neurosyphilis
Breast, cancer; dermatomyositis and malignant tumor, 838
eczema or carcinoma simplex of nipple, 711
extensive Paget's disease without formation of cancer during constant observation for 14 years, 266
Brocq's Disease: See Alopecia cicatrisata
Brocq-Duhring Disease: See Dermatitis herpetiformis
Brooke-Morrow's Disease: See Keratosis follicularis
Brown, E. A.: Effects of glycerite of hydrogen peroxide on infections of skin and mucous membranes, *801
Bubo, Chancroid: See Chancroid
Climatic: See Lymphogranuloma Venereum
Buchholz, A.: Tuberculosis verrucosa cutis and tuberculosis colliquativa, 131
Buerger's Disease: See Thromboangiitis obliterans
Bullosis: See Vesication
Burns: See also Cicatrix
of face; treatment with grenz rays, 555
Buschke's Disease: See Scleroderma
Butler, M. G.: Atypical lichen planus tropicalis, *535
Buttock; granuloma inguinale involving buttock and lymph node; cultivation of Donovan body in embryonic yolk, *342

Calcification; calcified sebaceous cysts; lupus erythematosus of face, 860
generalized calcinosis, 141
Calcinosis: See Calcification
Calero M., C.: Madura foot (mycetoma); first report from Isthmus of Panama, *761
Callaway, J. L.: Pseudomonas aeruginosa infection of ear treated with streptomycin, *257
Callosities: See Keratosis
Cancer: See also Epithelioma; Sarcoma; Tumors; and under names of organs and regions, as Adrenals; Breast; Lips; Ovary; etc.
dermatomyositis and malignant tumor, 838
growth, invasive character of, 697
melanotic nevus of cheek, apparently undergoing malignant degeneration, due to large underlying foreign body granuloma which has developed around bone formation, 265
precancer; Bowen's disease, 861
precancer; Bowen's disease or tuberculosis cutis, 418
precancer; Bowen's disease (with rare localization between second and third left toe), 266
precancer; erythroplasia of glans penis (Bowen's disease of mucous membranes), 265
precancer; superficial epithelioma, Bowen's disease, roentgen ray dermatitis or neurodermatitis, 851
precancer; superficial epithelioma of Bowenoid type, 287
Cannon, A. B.: Ichthyosis hystrix or psoriasis, 268
Pityriasis rubra pilaris, 725
Postarsphenamine vitiligo, 272
Sarcoid or leprosy, 589
Capillaries: See also Vasomotor System
microscopy with reference to capillary petechiae, 832
Carate: See Pinta
Carbowax Compound: See Ointments
Carcinoma: See Cancer
Cardiolipin: See Lipoids
Cardiovascular Diseases; account of stock, 833
Cardiovascular System: See Arteries; Vasomotor System; etc.
Carnauba Wax: See Ointments
Caro, M. R.: Lupus erythematosus, 135
Lymphoblastoma, 140
Tuberculosis verrucosa cutis and tuberculosis colliquativa, 131
Carotene: See Vitamins, A
in Blood: See Blood, carotene
Carotenemia: See Blood, carotene
Cawley, E. P.: Eosinophilic granuloma of bone with cutaneous manifestations; report of case, *810
Cecum; unilateral ulceration of mouth (tuberculosis orificialis?), probably with miliary and ileocecal involvement, 580
Ceder, E. T.: Treatment of various types of cutaneous tuberculosis with promizole and streptomycin; preliminary report, *222
Cells: See also Tissue; etc.
cytology of molluscum contagiosum with significance of so-called "vacuoles," 260
pemphigus vulgaris; study of blood picture, *772
Cellulitis: See under Scalp
Cerebrum: See Brain
Chancre, Lymphogranulomatous: See Lymphogranuloma Venereum
Soft: See Chancroid
Chancroid; cause of phagedenic soft chancre, 267
Chaulmoogra Oil, Therapy: See Leprosy
Chemotherapy: See under names of diseases and chemotherapeutic agents, as Neurosyphilis; Penicillin; Sulfonamides; Syphilis; Tuberculosis; etc.
Chickenpox and herpes zoster, 263
varicella herpetiformis, 839

Children: See also Infants
chronic idiopathic hypoparathyroidism with superimposed Addison's disease in child, 835
desensitization to insect bites, 700
Chloasma: See under Pigmentation
Chlorides: See Sodium chloride
Chloroma: See Leukemia
Chondrodystrophia Fetalis Calcarea: See Achondroplasia
Christian-Weber's Disease: See Panniculitis
Cicatrix; acne conglobata, 284
ocular pemphigus with scarring of skin and mucous membranes, *37
lupus vulgaris, 149
pathologic findings in case of ainhum; comparison of epidermal and vascular lesions with normal toe, 261
Cipollaro, A. C.: Junction nevus, 583
Nummular eczema, 586
Radiodermatitis, 585
Clothing; dermatitis from glass fabrics, *258
Coal Tar: See under Skin, diseases
Coccidioidomycosis or unilateral ulceration of mouth (tuberculosis orificialis?), probably with miliary and ileocecal involvement, 580
Cockroaches; modes of transmission of Hansen's disease (leprosy), 702
Cohen, D.: Lupus vulgaris with squamous cell epithelioma, 132
Pellagra, 570
Cole, H. N.: Dermatosis, progressive pigmentary, 297
Erythema chronicum migrans, 277
Larva migrans, 296
Myoblastoma, 297
Parapsoriasis, 278
Parapsoriasis en plaque, 279
Urticaria pigmentosa (nodular type), 280
Colitis, ulcerative, skin lesions during course of, 121
Collagen; reticulum, or lattice, fibers; further studies, *478
Colon, Inflammation: See Colitis
Combes, F. C.: Contact dermatitis of hands, 276
Epidermodysplasia verruciformis, 727
Frambesiform tertiary syphilis, 840
Granuloma inguinale, 840
Lupus erythematous or pemphigus, 270
Mycosis fungoides, 271
Communicable Diseases: See Syphilis; etc.
Complement Fixation Test: See Rocky Mountain Spotted Fever; Syphilis, serodiagnosis; Wassermann Reaction; etc.
Congress: See Societies
Conjunctivitis; Stevens-Johnson syndrome (eruptive fever with stomatitis and conjunctivitis), 832
Constant, E. R.: Case for diagnosis, 302
Cook, C. D.: Acne vulgaris treated with vitamin A, *355
Coomber, R. B.: Dermatitis from contact with varnish of Japanese rifles, *110
Cooper, Z. K.: Lichen sclerosus et atrophicus with bullous lesions and extensive involvement; report of case, *433
Copper, Therapy: See Mycosis, cutaneous
Cormia, F. E.: Eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
Psychosomatic factors in dermatoses; critical analysis of diagnostic methods of approach, *601
Cornbleet, T.: Dermatomyositis; case for diagnosis, 570
Lupus vulgaris with squamous cell epithelioma, 132
Lymphoblastoma; case for diagnosis, 142
Multiple superficial epitheliomatosis, 134
Pellagra, 570
Pityriasis rubra pilaris with exfoliation, 141
Subacute disseminated lupus erythematosus, 136
Unexplained fluorescence phenomenon, 564
Correction in Dr. Zakon's discussion of paper by Dr. F. R. Schmidt, "Chronic Discoid Lupus Erythematosus" (54: 744 [Dec.] 1946), 259
Corynebacterium Diphtheriae: See Diphtheria
Cosmetics; inflammatory alopecia marginalis following electric permanent wave, 724
lupus erythematosus or chloasma, 426
scientific principles in design and choice of ointment bases, 553
Costa, O. G.: Leishmaniasis verrucosa of face, *358
Tinea nigra, *67
Tuberculoid leprosy of lupoid appearance, *474
Costello, M. J.: Carotenemia in patient with pernicious anemia, 724
Case for diagnosis, 420
Dermatitis herpetiformis (papular type) successfully treated with sulfapyridine, 725
Erythema elevatum diutinum, 710
Erythema multiforme bullosum and dermatitis medicamentosa [sulfonamide compounds], 852
Erythema multiforme bullosum (due to sulfonamide medication), 853
Inflammatory alopecia marginalis, 724
Linear lichen planus, 724
Linear nevus or lichen planus atrophicus, 268
Morphea-like epithelioma and basal cell epithelioma of face cured by roentgen ray therapy, 585
Poikiloderma atrophicans vasculare; case for diagnosis, 588
Counter, C. E.: Stomatitis due to ingested medication; case for diagnosis, 126
Cranium, fractures; treatment of post-traumatic Simmonds' disease with methyl testosterone linguets, 834
Crawford, G. M.: Tertiary syphilis of skin, 413
Creeping Eruption; larva migrans, 722, 728, 856
larva migrans [treatment with fuadin], 296
systemic treatment (arsenic, antimony and fuadin), *664
Curth, H.: Generalized vitiligo; alopecia of undetermined cause, 425
Curtis, A. C.: Congenital absence of valves in veins as cause of varicosities, *639
Eosinophilic granuloma of bone with cutaneous manifestations; report of case, *810
Cushing Syndrome; Cushing's adrenogenital syndrome, 855
Cutis Verticis Gyrata: See Scalp
Cysts: See under names of organs and regions, as Sweat Glands; Sebaceous Glands; etc.
Cytology: See Cells

Dacryocystitis: See Lacrimal Organs
Dactylitis: See Fingers and Toes
Dactylolysis Spontanea: See Ainhum
Dandruff: See Seborrhea
Darier's Disease: See Keratosis follicularis
Davis, W. C.: Clinical experience with ointment of synthetic coal tar, *683
DDT: See Pediculosis; Skin, diseases
Death; account of stock, 833
Deficiency Diseases: See Pellagra; Vitamins; etc.
Denhoff, E.: Cutaneous diphtheria and tropical ulcers, *360
Dennie, C. C.: Use of Purple X bulb in diagnosis of fungous diseases of scalp, *396
Depigmentation: See Pigmentation
Dermatitis: See also Eczema; Neurodermatitis; etc.
Acneform: See Acne
Actinica: See under Light
Atopic: See Eczema; Neurodermatitis
Atrophicans: See Atrophy
Blastomycetic: See Blastomycosis
clinical use of new antihistaminic compound (pyribenzamine) in certain cutaneous disorders, *309
Contact: See Dermatitis venenata
Eczematous: See Eczema
exfoliative, possible benefit from protein hydrolysates for, *397
herpetiformis, 854
herpetiformis; case of diagnosis, 150
herpetiformis caused by stasis dermatitis, 596
herpetiformis; epidermolysis bullosa; recently described variant, *91

Dermatitis—Continued
herpetiformis or papular urticaria, 731
herpetiformis or pemphigus, 415
herpetiformis (papular type) successfully treated with sulfapyridine, 725
iodide, 305
lichenoid, 835
lichenoid (New Guinea type), 576
Medicamentosa: See also under names of drugs, as Acridine Dyes; Arsenic and Arsenic Compounds; Arsphenamines; Copper; Gold and Gold Compounds; Iodine and Iodine Compounds; Penicillin; Sulfonamides; etc.
medicamentosa and erythema multiforme bullosum [sulfonamide compounds], 852
medicamentosa; case for diagnosis, 414
medicamentosa or psoriasis, 412
Multiformis: See Dermatitis herpetiformis
Occupational: See under Industrial Diseases
papillaris capillitii better term than "folliculitis keloidalis," *112
Poison Oak: See Rhus
psychosomatic factors in dermatoses; critical analysis of diagnostic methods of approach, *601
Radiodermatitis: See under Roentgen Rays
rat mite, 138
Rhus: See Rhus
Seborrheic: See Seborrhea
Solar: See under Light
sulfonamide psoriasiform, *525
venenata, 416
venenata; acarodermatitis urticarioides, *621
venenata due to Ace Adherent, 400
venenata due to penicillin-containing ointment, 582
venenata from atabrine, 550
venenata from contact with varnish of Japanese rifles, *110
venenata from glass fabrics, *258
venenata; lupus erythematosus or chloasma, 426
venenata; melanosis of Riehl, 148
venenata of hands, 276
venenata or dermatophytosis (eczematized), 707
venenata or erythroplasia, 845
venenata; pigmentation following application of iron salts; report of case in which it was not permanent, *692
venenata; prevention and treatment of skin diseases during war, *455
venenata; sensitization to edible mushrooms, 703
venenata; studies on poison ivy and other dermatitis producing plant parts wherein active, resinous principles are suspended in aqueous solution, 399
venenata; topical use of penicillin in treatment of pyoderma, *630
Verrucosa: See Mycosis, cutaneous
Dermatofibroma (fibrosarcoma?), 593
Dermatology; relation of dermatology and venereology, *452
military, experiences in; their interpretation in plans for improved general medical care, *441
military personnel in, *446
Navy's postgraduate education, *459
Dermatomyositis, 719
and malignant tumor, 838
case for diagnosis, 570
Dermatophytes: See Fungi
Dermatophytids: See Mycosis, cutaneous
Dermatophytosis: See Mycosis, cutaneous; Ringworm
Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Diabetes Mellitus; necrobiosis lipoidica diabeticorum, 427, 428
Diathesis, Allergic: See Food, allergy
Dichlormapharsen: See Syphilis
Dichlorodiphenyltrichloroethane (DDT): See Pediculosis; Scabies; etc.
Dichlorophenarsine Hydrochloride: See Syphilis
Diet and Dietetics: See also Food; Vitamins
role of food allergy in eczematoid dermatitis, *493
Dimethyl-Disulfanilamide: See Sulfonamides
Diphtheria, cutaneous, 837
cutaneous, and tropical ulcers, *360
cutaneous, occurring during war, *454
cutis or ulcers, acute pyogenic, factitial or anaerobic, 301
Disinfection and Disinfectants; self disinfection of skin; short review and some original observations, 552
Dobes, W. L.: Granulomatous Hodgkin's disease of skin with extreme eosinophilia (eosinophilic granuloma of skin?), *212
Dogs: See Rocky Mountain Spotted Fever
Dolce, F. A.: Treatment of mycotic infections by inhibiting respiration of dermatophytes, *379
Donovan Organisms: See Granuloma inguinale
Dostrovsky, A.: Progressive scleroderma of skin with cystic sclerodermal changes of lungs, *1
Dowdy, K. H.: Lichenoid dermatitis (New Guinea type), 576
Downing, J. G.: Multiple idiopathic hemorrhagic sarcoma or hemangioendotheliblastoma, 410
Syphilitic glossitis; case for diagnosis, 407
Xanthoma disseminatum, 406
Xanthoma disseminatum (also tuberosum et planum), 405
Drant, P.: Keratosis palmaris et plantaris (epidermodysplasia verruciformis?), 856
Lupus erythematosus, 857
Drawings; leukoderma acquisitum centrifugum (Sutton) and reproduction of presentation of similar cutaneous changes on panel of altar of Isenheim, 266
Driver, J. R.: Dermatosis, progressive pigmentary, 297
Erythema chronicum migrans, 277
Larva migrans, 296
Myoblastoma, 297
Parapsoriasis, 278
Parapsoriasis en plaque, 279
Urticaria pigmentosa (nodular type), 280
Drugs, Eruptions: See also under names of drugs, as Acridine Dyes; Arsenic and Arsenic Compounds; Arsphenamines; Gold and Gold Compounds; Penicillin; Sulfonamides; etc. and under names of diseases, as Tuberculosis; etc.
stomatitis due to ingested medication; case for diagnosis, 126
Ductless Glands: See Endocrine Glands
Duhring's Disease: See Dermatitis herpetiformis
Durand-Nicholas-Favre's Disease: See Lymphogranuloma Venereum
Dwarfism: See Achondroplasia
Dyes: See Stains and Staining
Dyskeratosis: See Keratosis
Dyspnea; generalized, progressive scleroderma associated with changes in lungs, larynx and esophagus, 269
Dystrophy: See Hair; Nails

Ear, Pseudomonas aeruginosa infection treated with streptomycin, *257
squamous cell epithelioma of, 713
Ebert, M. H.: Pemphigus; case for diagnosis, 142
Pityriasis rubra pilaris with exfoliation, 141
Xanthoma eruptivum, 556
Ecthyma; topical treatment with penicillin ointment, *52
Eczema, Atopic: See Neurodermatitis
contact dermatitis of hands, 276
dermatophytosis (eczematized), 707
exudative discoid and lichenoid chronic dermatosis, 273
infantile hospital morbidity and mortality, 401
Kaposi's varicelliform eruption, *327
lichen planus-eczematoid dermatitis complex of Southwest Pacific, 549
lichenoid dermatitis, 835
nummular, 586
or carcinoma simplex of nipple, 711
role of food allergy in eczematoid dermatitis, *493
skin sensitivity due to atabrine, 550
use of histamine antagonist, beta-dimethylaminethyl benzhydryl ether hydrochloride, in allergic disease, 832

Edema: See also Elephantiasis; and under names of organs and regions, as Eyelids; etc.
angioneurotic, 591
angioneurotic; allergic reaction following typhus fever vaccine and yellow fever vaccine due to egg yolk sensitivity, 400
chronic lymphedema of eyelids, 709
giant urticaria with lymphedema, 416
Education; Navy's postgraduate education in dermatology, *459
Eggs; allergic reaction following typhus fever vaccine and yellow fever vaccine due to egg yolk sensitivity, 400
Elbow; juxta-articular nodes, origin undetermined, 129
Electricity; effect of electrical stimulation on circulation and recovery of denervated muscle, 404
Elephantiasis neuromatosa; manifestation of von Recklinghausen's disease, *233
nostras or angioneurotic edema, 591
Emotions; heat and emotional urticaria, 566
Encephalitis due to salvarsan; pathogenesis, 264
Endocrine Glands; acanthosis nigricans juvenilis associated with obesity; report of case with observations on endocrine dysfunction in benign acanthosis nigricans, *749
Endocrine Therapy: See under names of glands and hormones, as Adrenal Preparations; Pituitary Body
Eosinophils; eosinophilic granuloma of bone with cutaneous manifestations; report of case, *810
eosinophilic granuloma of skin; its relation to erythema elevatum diutinum and eosinophilic granuloma of bone; report of case, *194
eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
granulomatous Hodgkin's disease of skin with extreme eosinophilia (eosinophilic granuloma of skin?), *212
pemphigus vulgaris; study of blood picture, *772
Epidermis: See Skin
Epidermodysplasia Verruciformis: See Verruca
Epidermolysis bullosa, 728
bullosa (acquired), 729
bullosa; case for diagnosis, 298
bullosa of newborn, *369
bullosa; recently described variant, *91
Epidermomycosis; Epidermophytosis: See Mycosis, cutaneous
Epidermophyton: See Fungi; Mycosis, cutaneous
Epinephrine: See Adrenal Preparations
Epithelioma, basal cell, in psoriatic patch, *375
basal cell, of forearm, 425
basal cell, or sarcoid, 734
basal squamous cell, associated with leukemia, *507
Hodgkin's disease complicated by squamous cell epithelioma of neck, 574
in lupus vulgaris (presented for therapeutic suggestions), 124
morphea-like and basal cell epithelioma of face cured by roentgen ray therapy, 585
multiple superficial epitheliomatous, 134
or kerions, 572
psoriasis; arsenical pigmentation and keratoses; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
squamous cell; case for diagnosis, 152
squamous cell, of ear, 713
squamous cell, with lupus vulgaris, 132
superficial basal cell, on psoriasis, 125
superficial, Bowen's disease, roentgen ray dermatitis or neurodermatitis, 851
superficial, of Bowenoid type, 287
trichoepithelioma, 726
Epstein, N. N.: Epidermolysis bullosa, 728
Monocytic leukemia; case for diagnosis, 579
Eruptions: See under Drugs, eruptions; Skin, diseases; etc.
Erythema annulare centrifugum, 582
annulare rheumaticum; skin lesions of rheumatic fever, 262
chronicum migrans, 277
elevatum diutinum, 710
elevatum diutinum; eosinophilic granuloma of skin; its relation to erythema elevatum diutinum and eosinophilic granuloma of bone; report of case, *194
induratum (Bazin), 560
multiforme bullosum and dermatitis medicamentosa [sulfonamide compounds], 852
multiforme bullosum (due to sulfonamide medication), 853
multiforme; Stevens-Johnson syndrome (eruptive fever with stomatitis and conjunctivitis), 832
palmar; its relationship to protein deficiency, 398
perstans, 846
Erythroblastosis; hemolytic disease and congenital syphilis in siblings, 263
Erythrocytes: See also Anemia; Polycythemia; etc.
pemphigus vulgaris; study of blood picture, *772
Erythroderma Exfoliativum: See Dermatitis exfoliative
Ichthyosiform: See Ichthyosis
Maculopapular: See Parapsoriasis
Erythroplasia of Queyrat: See Penis
Esophagus; generalized, progressive scleroderma associated with changes in lungs, larynx and esophagus, 269
Esposito, A. C.: Acute syphilitic bilateral total ophthalmoplegia, *686
Estrogens; atrophoderma hypoestrogenicum, 148
Ethyl Carbamates; effect of urea, urethane and other carbamates on bacterial growth, 119
Extremities: See also Foot; Legs
Blood Supply: See Raynaud's Disease; Thromboangiitis obliterans; etc.
circulation in skin of proximal parts of limbs, 404
Ulcers: See Ulcers; Varicose Veins
Eyelids, chronic lymphedema of, 709
lichen planus annularis limited to, 128
marginal blepharitis treated with penicillin; report of 48 cases, 402
skin sensitivity due to atabrine, 550
treatment of burns of face with grenz rays, 555
xanthomatous biliary cirrhosis with flat xanthomas of, 556
Eyes: See also under names of special structures and diseases of eye, as Glaucoma; etc.
ocular leprosy in Panama, 549
ocular pemphigus with scarring of skin and mucous membranes, *37
onchocerciasis, 398
paralysis; acute syphilitic bilateral total ophthalmoplegia, *686

Face, burns; treatment with grenz rays, 555
dermatophytosis caused by Trichophyton camerounense, *337
hemiatrophy, 135
leishmaniasis verrucosa of, *358
lupus erythematosus of; calcified sebaceous cysts, 860
nodular lesions; case for diagnosis, 842
Factories: See Industrial Diseases
Fahlek Grass: See under Grass
Fanning, J. L.: Roentgen ray dermatitis treated with radon ointment, 581
Fat: See also Lipoids
sclerema adiposum neonatorum of both internal and external adipose tissue, 399
Favosa: See Favus
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Favus, 404
Feet: See Foot
Fein, G.: Agranulocytosis; report of 12 cases in which it followed intensive arsenotherapy for syphilis, *57
Feldman, W. H.: Treatment of various types of cutaneous tuberculosis with promizole and streptomycin; preliminary report, *222

Felsher, M. L.: Nevus epitheliomatocylindromatosus (?), 133
Felsher, Z.: Calcinosis, generalized, 141
Disseminated subacute lupus erythematosus (?), 565
Lipoid proteinosis, 127
Fendt-Spiegler Sarcoid: See Sarcoidosis
Fever: See Malaria; Typhoid; Typhus; etc.
Rocky Mountain Spotted: See Rocky Mountain Spotted Fever
San Joaquin: See Coccidioidomycosis
Fiber Glass: See Dermatitis venenata
Fibrosarcoma or dermatofibroma, 593
Fifth Venereal Disease: See Granuloma inguinale
Fingers and Toes: See also Foot; Hand
Bowen's disease (with rare localization between second and third left toe), 266
circulation in denervated digits, 402
Nails: See Nails
pathologic findings in case of ainhum; comparison of epidermal and vascular lesions with normal toe, 261
psoriasis; arsenical pigmentation and keratoses; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
tumor of tactile end organs, 834
Finnerud, C. W.: Lichen planus annularis (limited to eyelids), 128
Finsen Treatment: See Lupus vulgaris
Fisher, S.: Agranulocytosis; report of 12 cases in which it followed intensive arsenotherapy for syphilis, *57
Fleas; desensitization to insect bites, 700
Flocculation Tests: See Antigens and Antibodies; Syphilis, serodiagnosis
Flood, J. M.: Role of food allergy in eczematoid dermatitis, *493
Fluorescence; unexplained phenomenon, 564
use of Purple X bulb in diagnosis of fungous diseases of scalp, *396
Foerster, H. R.: Melanodermatitis (occupational), 562
Foerster, O. H.: Melanodermatitis (occupational), 562
Folliculitis keloidalis better term than "dermatitis papillaris capillitii," *112
Food: See also Diet and Dietetics; Vitamins
anaphylactic shock from skin testing; 2 cases, 1 fatal, 400
Allergy: See also under Anaphylaxis and Allergy; and under names of various foods
allergy, role in eczematoid dermatitis, *493
Foot: See also Ankle; Fingers and Toes; etc.
dermatophytosis of hands and feet; tinea corporis (glabrosa), 848
fungous infections; comparative evaluation of preparations for prophylaxis and treatment, 838
perforating ulcer in 2 sisters, 430
Fourth Venereal Disease: See Lymphogranuloma Venereum
Fowlpox; search for virus-inactivating substances among microorganisms, 119
Fox, H.: "Folliculitis keloidalis" better term than "dermatitis papillaris capillitii," *112
Generalized, progressive scleroderma associated with changes in lungs, larynx and esophagus, 269
resignation as Chief Editor, 696
Fractures: See under Cranium; etc.
Frambesia; frambesiform tertiary syphilis, 840
Frank, L.: von Recklinghausen's disease traced through 5 generations, *109
Franks, A. G.: Basal cell epithelioma in psoriatic patch, *375
Freeman, H. E.: Necrobiosis lipoidica diabeticorum, 427
Superficial basal cell epitheliomas on psoriasis, 125
Frei Reaction: See Lymphogranuloma Venereum
Friend, F.: Topical penicillin therapy; principles of local therapy with penicillin ointment mixtures, *793
Fromer, S.: Reactions in treatment of syphilis with penicillin, *385
Fruchtbaum, L. M.: Pemphigus vulgaris, 720
Fuadin: See Creeping Eruption
Fungi: See also Actinomycosis; Blastomycosis; Moniliasis; Mycosis; Ringworm; Trichophytosis; etc.
antibacterial and fungistatic properties of propamidine, 550
comparative evaluation of preparations for prophylaxis and treatment of fungous infections of feet, 838
prevention and treatment of skin diseases during war, *455
psoriasis or onychomycosis, 850
search for virus-inactivating substances among microorganisms [Trichoderma], 119
treatment of mycotic infections by inhibiting respiration of dermatophytes, *379
use of Purple X bulb in diagnosis of fungous diseases of scalp, *396
Fungicides: See under Fungi
Furunculosis; treatment [vaccine therapy and sulfonamides], 554

Galex; contact dermatitis due to Ace Adherent, 400
Garb, J.: Dyskeratosis congenita with pigmentation, dystrophia unguium and leukoplakia oris; patient with evidence suggestive of Addison's disease, *242
Gauvain, E. A.: Creeping eruption (larva migrans?), 723
Pityriasis lichenoides chronica [Juliusberg]; case for diagnosis, 722
Genatios, T.: Pinta, 288
Superficial epithelioma of Bowenoid type, 287
Genitals: See also under names of genitals, as Penis; Vagina; etc.
angiomatoid formations in genital organs with and without tumor formation, 834
relapsing syphilids of; persistence of lesions 7 months after serologic reversion, *650
German Measles: See Rubella
Gilchrist's Disease: See Blastomycosis
Glands: See under names of glands, as Adrenals; Endocrine Glands; Lymph Nodes; etc.
Glandular Fever: See Mononucleosis, Infectious
Glaucoma, congenital, following maternal rubella, 549
Glazebrook, A. J.: Ichthyosiform changes of skin associated with internal diseases, *28
Globulin; identification of inhibitory factor of reticuloendothelial immune serum (REIS) in globulin fraction, 261
Glossitis: See Tongue
Goeckerman, W. H.: Pemphigus foliaceus; patient treated with unusual amount of acetarsone, *691
Gold and Gold Compounds; dermatitis medicamentosa due to gold sodium thiosulfate, 147
Goldbloom, A. A.: Dermatologic problems in staging area station hospital, *322
Goldman, L.: Topical penicillin therapy; principles of local therapy with penicillin ointment mixtures, *793
Goldsmith, N. R.: Possible benefit from protein hydrolysates for exfoliative dermatitis, *397
Goldstein, L.: Dermatitis herpetiformis caused by stasis dermatitis, 596
Hodgkin's disease of skin without demonstrable systemic involvement, 594
Gonorrhea: See also Venereal Diseases
keratodermia blennorrhagicum (gonorrheal dermatitis), 262
Gottron's Disease: See Ichthyosis
Gottschalk, H. R.: Lichen sclerosus et atrophicus with bullous lesions and extensive involvement; report of case, *433
Grace, A. W.: Pemphigus vulgaris; study of blood picture, *772
Graham, T. N.: Bowen's disease or tuberculosis cutis, 418
Carotenemia, 708
Periadenitis mucosa necrotica recurrens or aphthous stomatitis, 709
Grain Itch; acarodermatitis urticarioides, *621
Granulocytopenia: See Agranulocytosis

Granuloma annulare, 850, 854
annulare, generalized, 583
annulare; pseudoxanthoma elasticum, 285
annulare, sarcoid or psoriasis, 151
eosinophilic, of bone with cutaneous manifestations; report of case, *810
eosinophilic, of skin, *155
eosinophilic, of skin; its relation to erythema elevatum diutinum and eosinophilic granuloma of bone; report of case, *194
eosinophilic; theoretic and practical considerations based on study of case, *176
Fungoides: See Mycosis fungoides
granulomatous Hodgkin's disease of skin with extreme eosinophilia (eosinophilic granuloma of skin?), *212
Inguinale, 840. See also Lymphogranuloma Venereum
inguinale involving buttock and lymph node; cultivation of Donovan body in embryonic yolk, *342
inguinale or syphilitic keratosis, 578
inguinale; report of treatment of 7 cases of granuloma venereum with penicillin, 553
Lipoid: See Xanthoma
Malignant: See Hodgkin's Disease
melanotic nevus of cheek, apparently undergoing malignant degeneration, due to large underlying foreign body granuloma which has developed around bone formation, 265
new type of granulomatosis with generalized tumors simulating mycosis fungoides with fatal outcome, 265
Paracoccidioidal: See Blastomycosis
Tropicum: See Frambesia
Venereal: See Granuloma inguinale; Lymphogranuloma Venereum
Grass; acarodermatitis urticarioides (due to *Fahleh* grass), *621
Graves, J. M.: Multiple keloids, 732
Gray, M. B.: Epidermolysis bullosa; recently described variant, *91
Green, R. E.: Heat and emotional urticaria, 566
Greenbaum, S. S.: Lupus vulgaris; case for diagnosis, 304
Primary lichen amyloidosis; report of necropsy, *251
Grenz Rays: See Burns
Gross, E. R.: Calcified sebaceous cysts; lupus erythematosus of face, 860
Disseminated lupus erythematosus treated with sodium bismuth triglycollamate, 863
Disseminated lupus erythematosus treated with sodium bismuth triglycollamate ("bistrimate tablets"), 862
Keratotic lupus erythematosus treated with sodium bismuth triglycollamate ("bistrimate tablets"), 863
Larva migrans, 856
Topical treatment with penicillin ointment, *52
Guequierre, J. P.: Pachyonychia congenita; report of 2 cases with studies on therapy, *819
Gumma: See Lips; Nose; Syphilis, tertiary; Testes
Guns; dermatitis from contact with varnish of Japanese rifles, *110

Hair, abnormalities; pili torti, 703
Diseases: See Alopecia
Follicles: See Folliculitis; Keratosis follicularis
new type of familial and hereditary agenesis and dystrophy of, 267
Plucking: See Trichotillomania
trichofolliculoma, 267
Hall, A. F.: Epithelioma in lupus vulgaris (presented for therapeutic suggestions), 124
Halpert, B.: Epidermolysis bullosa of newborn, *369
Hand: See also Fingers and Toes
calcified sebaceous cysts; lupus erythematosus of face, 860
dermatophytosis of hands and feet; tinea corporis (glabrosa), 848
hyperkeratosis penetrans; report of case of probable variant of Kyrle's disease, *633
Hanfling, S. L.: Dermatologic problems in staging area station hospital, *322
Hansen's Disease: See Leprosy
Hay Fever: See Anaphylaxis and Allergy
Hazen, H. H.: Mycosis fungoides and similar conditions in Negro, *111
Heat and emotional urticaria, 566
Held, B.: Epidermolysis bullosa; case for diagnosis, 298
Lichen planus with involvement of palms, 295
Lymphoblastoma; case for diagnosis, 293
Psoriasis; arsenical pigmentation and keratosis; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
Helms, R. W.: Congenital absence of valves in veins as cause of varicosities, *639
Helwig, E. B.: Granuloma inguinale involving buttock and lymph node; cultivation of Donovan Body in embryonic yolk, *342
Hemangioendothelioblastoma or multiple idiopathic hemorrhagic sarcoma, 410
Hemangioma: See also Angioma
cavernous, of lip, 145
Hemiatrophy: See Face
Hemophilus Ducreyi: See Chancroid
Hemopoietic System, Diseases: See Anemia; Leukemia; etc.
Hemorrhage, Cutaneous: See Purpura
Hepar Lobatum: See Liver
Hepatitis: See Jaundice; Liver
Heredity: See Neurofibromatosis
Herpes gestationis, 715
simplex; Kaposi's varicelliform eruption, *327
zoster and chickenpox, 263
zoster in isolated community, 701
zoster; varicella herpetiformis, 839
Herxheimer Reaction: See Neurosyphilis
Herzberg's Stain: See Stains and Staining
Hidradenitis: See under Sweat Glands
Hill, W. R., Jr.: Sarcoidosis of skin, 711
Syphilis of skin (primary, recurrent), 718
Hinshaw, H. C.: Treatment of various types of cutaneous tuberculosis with promizole and streptomycin; preliminary report, *222
Histamine: See Anaphylaxis and Allergy; Dermatitis; Eczema; Urticaria
Hitch, J. M.: Systemic treatment of creeping eruption, *664
Hodgkin's Disease complicated by squamous cell epithelioma of neck, 574
cutaneous torulosis in patient with, 738
granulomatous, of skin with extreme eosinophilia (eosinophilic granuloma of skin?), *212
mycosis fungoides and similar conditions in Negro, *111
of skin without demonstrable systemic involvement, 594
Hoffman, B. J.: Topical use of penicillin in treatment of pyoderma, *630
Holley, H. L.: Agranulocytosis; report of 12 cases in which it followed intensive arsenotherapy for syphilis, *57
Holman, J. C., Jr.: Use of trichophytin in thromboangiitis obliterans, *512
Hormones: See Adrenal Preparations; Androgens; Endocrine Glands; Estrogens; etc.
Hospitals; administrative problems in military dermatology, *448
dermatologic problems in staging area station hospital, *322
morbidity and mortality of infantile eczema, 401
Hubler, W. R.: Lichen sclerosus et atrophicus; case for diagnosis, 284
Papulopustular verrucous sporotrichosis simulating blastomycosis, 290
Pseudoxanthoma elasticum, 285
Reticuloendotheliosis or mycosis fungoides, 286
Hunt Syndrome: See Herpes zoster
Hydroa vacciniforme (hydroa aestivale), 419
Hydrogen peroxide, glycerite of; effects on infections of skin and mucous membranes, *801
Hyman, A. B.: Epidermolysis bullosa; recently described variant, *91
Hyperergy: See Anaphylaxis and Allergy
Hyperkeratosis: See Keratosis
Hypoparathyroidism: See under Parathyroid
Hypophysis: See Pituitary Body
Hypotrichosis: See Alopecia

Ichthyosis and juvenile acanthosis nigricans, 411
hystrix or psoriasis, 268
ichthyosiform changes of skin associated with internal diseases, *28
Icterus: See Jaundice
Idiosyncrasy: See Anaphylaxis and Allergy; Drugs; and under names of substances; etc.
Immunity: See Anaphylaxis and Allergy; Lymphogranuloma Venereum; Serum; etc.
Impetigo contagiosa; topical treatment with penicillin ointment, *52
Industrial Diseases; melanodermatitis (occupational), 562
melanosis of Riehl, 148
Infants: See also Children
Addison's disease in, 835
alopecia areata in, 143
desensitization to insect bites, 700
hospital morbidity and mortality of infantile eczema, 401
newborn; epidermolysis bullosa of, *369
newborn; sclerema adiposum neonatorum of both internal and external adipose tissue, 399
Infection: See under Skin; Wounds
Infectious Diseases: See Gonorrhea; Syphilis; Typhoid; etc.
Inguinal Glands: See Lymph Nodes
Injections: See also Sodium chloride; Typhoid; etc.
intramuscular; penicillin in treatment of experimental syphilis of rabbits; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Inoculation: See under names of diseases, as Furunculosis; Syphilis; Typhoid; Yellow Fever; Verruca; etc.
Insects, bites; benadryl in dermatologic therapy, *101
bites, desensitization to, 700
Instruments: See Apparatus
Internal Secretions: See Endocrine Glands
Intestines; unilateral ulceration of mouth (tuberculosis orificialis?), probably with miliary and ileocecal involvement, 580
Iodides: See Iodine and Iodine Compounds
Iodine and Iodine Compounds; iodide dermatitis, 305
Ion Transfer; treatment of epidermophytosis on extremities with iontophoresis of copper, 122
Iontophoresis: See Ion Transfer
Iron salts, pigmentation following application of; report of case in which it was not permanent, *692
Itching: See Pruritus
Ivy Poisoning: See under Rhus

Jacobi-Petges' Disease: See Poikiloderma atrophicans vasculare
Jadassohn's Disease: See Atrophy
Japan and Japanese; dermatitis from contact with varnish of Japanese rifles, *110
Jaundice: See also Liver
falsely positive Wassermann and Kahn reactions in infective hepatitis, 701
Jennison, D. B.: Granuloma inguinale involving buttock and lymph node; cultivation of Donovan body in embryonic yolk, *342
Jensen, A. K.: Porokeratosis (Mibelli), 127
Jericho Boil: See Leishmaniasis
Johnson-Stevens Syndrome: See Erythema multiforme
Joints: See under names of joints
Diseases: See Arthritis; etc.
Jordon, J. W.: Clinical use of new antihistaminic compound (pyribenzamine) in certain cutaneous disorders, *309
Jungle Sores: See Ulcers, tropical
Jungle Warfare: See Military Medicine
Juxta-Articular Nodes: See Nodes

Kagen, E.: Lupus vulgaris with squamous cell epithelioma, 132
Kagen, M. S.: Acute disseminated lupus erythematosus, 136
Case for diagnosis, 570
Dermatomyositis; case for diagnosis, 570
Lymphoblastoma; case for diagnosis, 142
Kagen, M. S.—Continued
Pellagra, 570
Pemphigus; case for diagnosis, 142
Pityriasis rubra pilaris with exfoliation, 141
Scrofuloderma, 132
Subacute disseminated lupus erythematosus, 136
Xanthoma eruptivum, 556
Kahn Test: See also under Syphilis
falsely positive Wassermann and Kahn reactions in infective hepatitis, 701
Kala-Azar: See Leishmaniasis
Kanee, B.: Ocular pemphigus with scarring of skin and mucous membranes, *37
Kanof, A.: Undecylenic and propionic acids in prevention and treatment of dermatophytosis, *391
Kaposi's Sarcoma: See Sarcoma
Varicelliform Eruption: See Pyoderma
Katz, S.: Annular, macular syphilid, 300
Dermatofibroma (fibrosarcoma?), 593
Iodide dermatitis, 305
Katzenellenbogen, I.: Acarodermatitis urticarioides, *621
Kaufman, W. H.: Treatment of early acquired syphilis with 600,000 units of sodium penicillin, *644
Keddie, F. M.: Keratosis follicularis (Darier's disease), 730
Kelly, R. J.: Dermatitis herpetiformis; case for diagnosis, 150
Keloid, 300. See also Cicatrix
multiple, 732
multiple, in twin sisters, 426
Kendall, R. F.: Undecylenic acid in treatment of monilial vulvovaginitis, *113
Keratoderma: See Keratosis
Keratosis: See also Ichthyosis
acrokeratosis verruciformis (Hopf), 598
and arsenical pigmentation; psoriasis; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
Bowen's disease or tuberculosis cutis, 418
bullous dyskeratosis (familial benign chronic pemphigus), 730
dyskeratosis congenita with pigmentation, dystrophia unguium and leukoplakia oris; patient with evidence suggestive of Addison's disease, *242
follicularis (Darier's disease), 730
follicularis; epidermolysis bullosa; recently described variant, *91
hyperkeratosis of palms and soles due to ingestion of quinacrine hydrochloride, *256
hyperkeratosis penetrans; report of case of probable variant of Kyrle's disease, *633
keratodermia blennorrhagicum (gonorrheal dermatitis), 262
keratotic lupus erythematosus treated with sodium bismuth triglycollamate ("bistrimate tablets"), 863
pachyonychia congenita; report of 2 cases with studies on therapy, *819
palmaris et plantaris (epidermodysplasia verruciformis?), 856
parakeratosis variegata (parapsoriasis variegata S. reticularis), 704
pilaris; case for diagnosis, 138
pityriasis rubra pilaris with exfoliation, 141
porokeratosis (Mibelli), 127
syphilitic, 578
Kerion: See Trichophytosis
Kline, B. S.: Cardiolipin-lecithin antigen; recent development toward single standard test of blood for syphilis, *514
Knowles, F. C.: Actinomycosis, 299
Malignant melanoma, 302
Ulcers; acute pyogenic, factitial or anaerobic, 301
Kolmer, J. A.: Penicillin in treatment of experimental syphilis of rabbits; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Kolodny, M. H.: Cutaneous diphtheria and tropical ulcers, *360
Konheim, W.: Basal squamous cell epithelioma associated with leukemia, *507
Koretsky, L.: Eczema or carcinoma simplex of nipple, 711

Krysa, H.: Facial hemiatrophy, 135
Linear scleroderma with spina bifida, 130
Xanthomatous biliary cirrhosis with flat xanthomas of eyelids, 556
Kyrle's Disease: See Keratosis

Lacrimal Organs; dacryocystitis and dermatitis seborrheica, 717
Laennec's Disease: See under Liver, cirrhosis
Lafreniere, E. A.: Mycosis fungoides, 718
Lamb, J. H.: Epidermolysis bullosa of newborn, *369
Lane, C. G.: Dermatomyositis, 719
Herpes gestationis, 715
Pyoderma gangrenosum, 714
Squamous cell epithelioma of ear, 713
LaRosa, W. V.: Lipoidosis cutis et mucosae; report of case, *42
Larva Migrans: See Creeping Eruption
Larynx; generalized, progressive scleroderma associated with changes in lungs, larynx and esophagus, 269
search for virus-inactivating substances among microorganisms, 119
Laymon, C. W.: Acanthosis nigricans (juvenile type), 144
Cutis verticis gyrata, 146
Kerions, 572
Leather; dermatophytosis (eczematized) or dermatitis venenata [from shoe leather], 707
Lecithin: See Lipoids
Legs: See also Extremities; Foot
purpuric eruption of lower extremities resembling Schamberg's disease; case for diagnosis, 148
Ulcers: See Ulcers; Varicose Veins
Leishmaniasis; leishmania vaccine test in leishmaniasis of skin (oriental sore); quantitative experiments, *658
verrucosa of face, *358
Lentz, J. W.: Lichen planus (lichen ruber moniliformis?), 858
Pustular syphilis, 859
Leprosy; modes of transmission of Hansen's disease, 702
nerve lesions of, *783
neural; case for diagnosis, 569
ocular, in Panama, 549
or sarcoid, 589
palm oil in, 702
tuberculoid, of lupoid appearance, *474
visit to leper colony, 702
Lerner, M.: Pemphigus erythematosus (Senear-Usher type), 721
Leukemia associated with basal squamous cell epithelioma, *507
chloroma; clinicopathologic study of 2 cases, 398
chronic myeloid, or epidermodysplasia verruciformis, 280
human; attempted transmission in man, 551
leukemid or scabies, 595
monocytic; case for diagnosis, 579
mycosis fungoides and similar conditions in Negro, *111
Leukemid: See Leukemia
Leukocytes: See Eosinophils; Leukemia; Mononucleosis, Infectious; etc.
Leukoderma: See Vitiligo
Leukopenia: See Granulocytopenia
Leukoplakia: See Mouth
Lever, W. F.: Dermatitis seborrheica, 717
Eosinophilic granuloma of skin; its relation to erythema elevatum diutinum and eosinophilic granuloma of bone; report of case, *194
Hidradenitis suppurativa, 713
Levine, B.: Acanthosis nigricans, 291
Lewis, G. M.: Dermatophytosis (eczematized), 707
Eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
Lice: See Pediculosis
Lichen Amyloidosis: See Amyloidosis
Atrophicus: See Lichen planus
corneus hypertrophicus; unusual dermatosis simulating lichen planus and lichen corneus hypertrophicus; report of 6 cases, *12

Lichen—Continued
lichenoid dermatitis, 835
lichenoid dermatitis (New Guinea type), 576
nitidus, 567
planopilaris; case for diagnosis, 131
planus, 153
planus annularis; case for diagnosis, 131
planus annularis limited to eyelids, 128
planus atrophicus or linear nevus, 268
planus-eczematoid dermatitis complex of Southwest Pacific, 549
planus (lichen ruber moniliformis?), 858
planus, linear, 724
planus, lupus erythematosus or pemphigus, 270
planus tropicalis, atypical, *535
planus; unusual dermatosis simulating lichen planus and lichen corneus hypertrophicus; report of 6 cases, *12
planus with involvement of palms, 295
ruber moniliformis; morbus moniliformis lichenoides; variant types, *674
ruber moniliformis or lichen planus, 858
sclerosis et atrophicus, 149, 284
sclerosis et atrophicus with bullous lesions and extensive involvement; report of case, *433
Tropicus: See Miliaria
Urticatus: See Urticaria, papular
Lichenification: See Neurodermatitis; Prurigo nodularis
Lichens: See Fungi
Lieberthal, E. P.: Nevus epitheliomatocylindromatosus (?), 133
Light; birefringence in tissues, 834
hydroa vacciniforme (hydroa aestivale), 419
lupus erythematosus [sensitivity to sunlight], 857
protective skin coatings for prevention of sunburn, 118
studies in hypersensitivity to, 836
urticaria solare (4000-5000A), 836
Limbs: See Extremities; Legs
Lingua: See Tongue
Lipid Proteinosis: See Lipoids, metabolism
Lipids: See Lipoids
Lipoidosis: See Lipoids
Lipoids: See also Fat
cadiolipin-lecithin antigen; recent development toward single standard test of blood for syphilis, *514
lipoidosis cutis et mucosae; report of case, *42
metabolism; lipid proteinosis, 127
xanthoma disseminatum, 406
xanthoma disseminatum and tuberosum et planum, 405
Lips; angioneurotic edema, 591
cancer, radium treatment of, 839
cavernous hemangioma of, 145
gumma of nose and upper lip, 145
Liver, cirrhosis; xanthomatous biliary cirrhosis with flat xanthomas of eyelids, 556
function; clinical and laboratory studies in therapeutic malaria, 833
hepar lobatum; clinical significance of anatomic changes, 834
ichthyosiform changes of skin associated with internal diseases, *28
Livingood, C. S.: Experiences in military dermatology; their interpretation in plans for improved general medical care, *441
Loeffler's Syndrome: See Eosinophils; Lungs, pathology
Luetin Test: See under Syphilis
Lungs; generalized, progressive scleroderma associated with changes in lungs, larynx and esophagus, 269
pathology; "eosinophilic granulomas" of skin, *155
pathology; eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
progressive scleroderma of skin with cystic sclerodermal changes of, *1
Tuberculosis: See Tuberculosis, pulmonary
Lupoid: See Sarcoidosis

Lupus: See also Tuberculids; Tuberculosis
annularis of cervical region simulating tertiary syphilis, 554
erythematosus, 135, 857
erythematosus, acute disseminated, 136
erythematosus, disseminated subacute (?), 565
erythematosus, disseminated, treated with sodium bismuth triglycollamate ("bistrimate tablets"), 862, 863
erythematosus, keratotic, treated with sodium bismuth triglycollamate ("bistrimate tablets"), 863
erythematosus of face; calicified sebaceous cysts, 860
erythematosus of scalp, 143
erythematosus or chloasma, 426
erythematosus or pemphigus, 270
erythematosus or Spiegler-Fendt sarcoid, 736
erythematosus, subacute disseminated, 136
Pernio: See Sarcoidosis
tuberculoid leprosy of lupoid appearance, *474
vulgaris, 149, 598
vulgaris; case for diagnosis, 304
vulgaris, epithelioma in (presented for therapeutic suggestions), 124
vulgaris, Finsen treatment and significance to rational combating of, 122
vulgaris; treatment of various types of cutaneous tuberculosis with promizole and streptomycin; preliminary report, *222
vulgaris with squamous cell epithelioma, 132
Lymph Nodes: See also Lymphosarcoma; Mononucleosis, Infectious; etc.
granuloma inguinale involving buttock and lymph node; cultivation of Donovan body in embryonic yolk, *342
periadenitis mucosa necrotica recurrens or aphthous stomatitis, 709
psoriasis; arsenical pigmentation and keratoses; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
relationship of Boeck's sarcoid and tuberculosis; report of case in which tuberculosis of lymph nodes was associated with features highly suggestive of sarcoid, 399
Lymphadenopathy: See Lymph Nodes
Lymphangioma circumscriptum congenitale or angioneurotic edema, 591
Lymphedema: See Edema; Elephantiasis
Lymphoblastoma, 140, 735
case for diagnosis, 142, 293
Lymphogranuloma, Benigna: See Sarcoidosis
Hodgkin's: See Hodgkin's Disease
Inguinale: See Granuloma inguinale; Lymphogranuloma Venereum
Schaumann's: See Sarcoidosis
Lymphogranuloma Venereum from immunobiologic point of view, 121
Lymphopathia Venerea: See Lymphogranuloma Venereum
Lymphosarcoma; ichthyosiform changes of skin associated with internal diseases, *28
Lynch, F. W.: Acne vulgaris treated with vitamin A, *355
Benadryl in dermatologic therapy, *101
Kaposi's varicelliform eruption, *327

McFarland, A. R.: Morbus moniliformis lichenoides; variant types, *674
Machacek, G.: Mycosis fungoides or arsenical dermatitis, 275
MacKee, G. M.: Angiopericytoma; case for diagnosis, 726
Madden, J. F.: Lichen sclerosus et atrophicus, 149
Lupus vulgaris, 149
Madura Foot: See Mycetoma
Maduromycosis: See Mycetoma
Majocchi's Disease: See Purpura annularis telangiectodes
Mal del Pinto: See Pinta
Malaria, therapeutic, clinical and laboratory studies of liver function in, 833
Malformations: See under names of diseases, organs and regions, as Atrophy; Hair, abnormalities; Nails, abnormalities; Skin, abnormalities; etc.
Mammary Gland: See Breast
Mariano, J.: Tuberculoid leprosy of lupoid appearance, *474
Materia Medica: See Drugs
May, S. B.: Necrobiosis lipoidica diabeticorum, 428
Measles, German: See Rubella
Medical Societies: See Societies
Medicine, Aviation: See Aviation and Aviators
Military: See Military Medicine
Naval: See Naval Medicine
Psychosomatic: See Mind, body and mind
Tropical: See Tropical Medicine
Meier, D. E.: Neural leprosy; case for diagnosis, 569
Meininger, W. M.: Relapse following penicillin therapy of early syphilis, 572
Syphilitic keratosis, 578
Melanin: See also Addison's Disease; Melanoma; Pigmentation
melanodermatitis (occupational), 562
melanosis of Riehl, 148
Melanoma, malignant, 302
multiple idiopathic hemorrhagic sarcoma or hemangioendothelioblastoma, 410
Melanosis: See Melanin
Meniscocytes: See Anemia, sickle cell
Mental Diseases: See Neuroses and Psychoneuroses
Metals: See Copper; etc.
Metasyphilis: See Syphilis, congenital
Methyl Testosterone: See Androgens
Mibelli's Disease: See under Keratosis
Michelson, H. E.: Kerions, 572
Melanosis of Riehl, 148
Microfilaria: See Onchocerciasis
Microscopy: See also Stains and Staining; Tissue; etc.
birefringence in tissues, 834
capillary, with reference to capillary petechiae, 832
Microsporon; tinea capitis due to Microsporon audouini (3 cases), 146
lanosum; tinea capitis in southeastern Tennessee, *258
Miliaria; prickly heat, 554
tropical anhidrotic asthenia (thermogenic anhidrosis) and its relationship to prickly heat, 260
Military Medicine: See also Aviation and Aviators; etc.
administrative problems in military dermatology, *448
atypical lichen planus tropicalis, *535
chief advances in dermatologic diagnosis and treatment occurring during war, *453
deficiencies in available methods of dermatologic therapy during war, *456
dermatitis from contact with varnish of Japanese rifles, *110
dermatologic problems in staging area station hospital, *322
experiences in military dermatology; their interpretation in plans for improved general medical care, *441
hyperkeratosis of palms and soles due to ingestion of quinacrine hydrochloride, *256
incidence of dermatologic disease in Army, *442
lichen planus-eczematoid dermatitis complex of Southwest Pacific, 549
onchocerciasis, 398
personnel in military dermatology, *446
planning and investigations to prevent and cure diseases of skin in Army, *445
psychosomatic factors in dermatoses; critical analysis of diagnostic methods of approach, *601
quinacrine hydrochloride dermatitis; case for diagnosis, 291
reactions to penicillin, 549
rehabilitation of patients suffering from skin disease, 263
relation of dermatology and venereology, *452

Military Medicine—Continued
topical use of penicillin in treatment of pyoderma, *630
unusual dermatosis simulating lichen planus and lichen corneus hypertrophicus; report of 6 cases, *12
Miller, H. E.: Bullous dyskeratosis (familial benign chronic pemphigus), 730
Idiopathic multiple pigmented sarcoma of Kaposi, 575
Mycetoma [maduromycosis]; case for diagnosis, 733
Miller, J. L.: Boeck's sarcoid, 153
Granuloma annulare, 850
Hydroa vacciniforme (hydroa aestivale), 419
Lichen planus, 153
Pityriasis rosea, 154
Psoriasis or onychomycosis, 850
Superficial epithelioma, Bowen's disease, roentgen ray dermatitis or neurodermatitis, 851
Syringocystadenoma, 420
Vascularitis of unknown origin; case for diagnosis, 849
Milstone, J. H.: Granuloma inguinale involving buttock and lymph node; cultivation of Donovan body in embryonic yolk, *342
Minadeo, A. R.: Parapsoriasis, 278
Parapsoriasis en plaque, 279
Urticaria pigmentosa (nodular type), 280
Mind, body and mind; psychosomatic factors in dermatoses; critical analysis of diagnostic methods of approach, *601
Miskjian, H. G.: Quinacrine hydrochloride dermatitis; case for diagnosis, 291
Mitchell, J. H.: Case for diagnosis, 131
Psoriasis of palms, 134
Mites; acarodermatitis urticarioides, *621
rat mite dermatitis, 138
Moeller's Glossitis: See Tongue
Molds: See Fungi
Moles: See Nevi
Molluscum contagiosum, cytology, with significance of so-called "vacuoles," 260
Moniliasis; chronic latent oral moniliasis (thrush); report of case of 12 years' duration in which disease was resistant to treatment, *85
undecylenic acid in treatment of monilial vulvovaginitis, *113
Monocytes: See Leukemia, monocytic
Mononucleosis, Infectious; analysis of 26 clinical and 340 subclinical cases, 832
Montgomery, O. F.: Epidermolysis bullosa (acquired), 729
Sarcoid or basal cell epithelioma, 734
Montgomery, R. M.: Dermatitis venenata, 416
Dermatophytosis of hands and feet; tinea corporis (glabrosa), 848
Epidermodysplasia verruciformis, 845
Erythema perstans, 846
Purpura annularis telangiectodes, 847
Squamous cell epithelioma; case for diagnosis, 152
Morbus moniliformis lichenoides; variant types, *674
Morgan, D. B.: Use of Purple X bulb in diagnosis of fungous diseases of scalp, *396
Morphea: See Scleroderma
Morrow, G.: Leiomyoma cutis, 732
Morrow-Brooke's Disease: See Keratosis follicularis
Mouth: See also Stomatitis; etc.
chronic latent oral moniliasis (thrush); report of case of 12 years' duration in which disease was resistant to treatment, *85
dyskeratosis congenita with pigmentation, dystrophia unguium and leukoplakia oris; patient with evidence suggestive of Addison's disease, *242
lichen sclerosus et atrophicus, 149
periadenitis mucosa necrotica recurrens or aphthous stomatitis, 709
tuberculosis cutis orificialis with underlying pulmonary tuberculosis, 571
Mouth—Continued
unilateral ulceration (tuberculosis orificialis?), probably with miliary and ileocecal involvement, 580
Mucous Membrane: See also Lips; Mouth; Nose; etc.
effects of glycerite of hydrogen peroxide on infections of skin and mucous membranes, *801
epithelial symptoms caused by various deficiencies, 555
erythroplasia of glans penis (Bowen's disease of mucous membranes), 265
lichen planus, 153
lipoidosis cutis et mucosae; report of case, *42
ocular pemphigus with scarring of skin and mucous membranes, *37
periadenitis mucosa necrotica recurrens or aphthous stomatitis, 709
Murphy, W. W.: Epidermolysis bullosa; case for diagnosis, 298
Lichen planus with involvement of palms, 295
Lymphoblastoma; case for diagnosis, 293
Pinta, 288
Psoriasis; arsenical pigmentation and keratosis; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
Superficial epithelioma of Bowenoid type, 287
Muscles, denervated; contractility and excitability; 404
effect of electrical stimulation on circulation and recovery of denervated muscle, 404
Mushrooms: See also Fungi
edible, sensitization to, 703
Mycetoma; Madura foot; first report from Isthmus of Panama, *761
maduromycosis; case for diagnosis, 733
Mycology: See Fungi; Mycosis
Mycosis: See also Actinomycosis; Blastomycosis; Moniliasis; Mycetoma; Ringworm; Stomatitis; Tinea; etc.
cutaneous; dermatophytosis (eczematized), 707
cutaneous; dermatophytosis of hands and feet; tinea corporis (glabrosa), 848
cutaneous; treatment of epidermophytosis on extremities with iontophoresis of copper, 122
cutaneous; undecylenic and propionic acids in prevention and treatment of dermatophytosis, *391
dermatophytosis of face caused by Trichophyton camerounense, *337
eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
fungoides, 271, 562, 718
fungoides and similar conditions in Negro, *111
fungoides; new type of granulomatosis with generalized tumors simulating mycosis fungoides with fatal outcome, 265
fungoides or arsenical dermatitis, 275
fungoides or Hodgkin's disease complicated by squamous cell epithelioma of neck, 574
fungoides or poikiloderma vasculare atrophicans, 706
fungoides or reticuloendotheliosis, 286
fungoides [roentgen therapy], 122
lichen planus-eczematoid dermatitis complex of Southwest Pacific, 549
treatment of mycotic infections by inhibiting respiration of dermatophytes, *379
Myoblastoma, 297
Myoma; leiomyoma cutis, 732
Myositis: See Dermatomyositis

Nails, abnormalities; longitudinal grooving of nails caused by synovial lesions, *828
abnormalities; pachyonychia congenita; report of 2 cases with studies on therapy, *819
capillary microscopy with reference to capillary petechiae, 832

Nails—Continued
dyskeratosis congenita with pigmentation, dystrophia unguium and leukoplakia oris; patient with evidence suggestive of Addison's disease, *242
psoriasis or onychomycosis, 850
Narcotics: See under names of drugs
Nares: See Nose
Naval Medicine: See also Aviation and Aviators; Hospitals; Military Medicine; etc.
dermatophytosis of hands and feet; tinea corporis (glabrosa), 848
lichenoid dermatitis (New Guinea type), 576
Navy's postgraduate education in dermatology, *459
prickly heat, 554
toxic effects of arsenical compounds as administered in United States Navy in 1944, with reference to arsenical dermatitis, 262
undecylenic and propionic acids in prevention and treatment of dermatophytosis, *391
Navies: See Naval Medicine
N.B.I.N.: See Pediculosis
Neck, Hodgkin's disease complicated by squamous cell epithelioma of, 574
Necrobiosis Lipoidica: See Skin, diseases
Necropsies: See Amyloidosis
Negroes, Diseases: See also Ainhum
diseases; mycosis fungoides and similar conditions in Negroes, *111
Nelson, L. M.: Unusual dermatosis simulating lichen planus and lichen corneus hypertrophicus; report of 6 cases, *12
Neoarsphenamine: See Arsphenamines; and under names of various diseases, as Syphilis; etc.
Neoplasms: See Cancer; Sarcoma; Tumors; etc.
Nerves: See also Neurons
circulation in denervated digits, 402
contractility and excitability of denervated muscle, 404
effect of electrical stimulation on circulation and recovery of denervated muscle, 404
epinephrine and denervation, 403
inflammation and trophic ulcers in denervated areas, 403
lesions of leprosy, *783
neural leprosy; case for diagnosis, 569
sebaceous secretion and denervation, 404
studies in denervation; methods, 402
tumor of tactile end organs, 834
Nervous System: See Brain; Nerves; etc.
Syphilis: See Neurosyphilis
Netherton, E. W.: Lichen sclerosus et atrophicus; case for diagnosis, 284
Papulopustular verrucous sporotrichosis simulating blastomycosis, 290
Pseudoxanthoma elasticum, 285
Reticuloendotheliosis or mycosis fungoides, 286
Neurodermatitis; hypertrophic or tumid type; case for diagnosis, 708
superficial epithelioma, Bowen's disease or roentgen ray dermatitis, 851
Neurofibromatosis; elephantiasis neuromatosa; manifestation of von Recklinghausen's disease, *233
von Recklinghausen's disease traced through 5 generations, *109
Neurons; mechanism of axonal vasodilation, 403
Neuroses and Psychoneuroses; psychosomatic factors in dermatoses; critical analysis of diagnostic methods of approach, *601
trichotillomania, 859
Neurosyphilis; use of penicillin in treatment of syphilis of central nervous system, 697
Neves, J. A.: Tinea nigra, *67
Nevi: See also Angioma
epitheliomatocylindromatosus(?), 133
ichthyosis hystrix or psoriasis, 268
junction, 583
juvenile acanthosis nigricans and ichthyosis, 411
linear, or lichen planus atrophicus, 268
linearis or localized scleroderma (morphea), 716
Nevi—Continued
melanotic, of cheek, apparently undergoing malignant degeneration, due to large underlying foreign body granuloma which has developed around bone formation, 265
pigmentosus, 269
Vascular: See Angioma
Newborn Infants: See Infants, newborn
Nickerson, W. J.: Treatment of mycotic infections by inhibiting respiration of dermatophytes, *379
Nicolas-Favre Disease: See Lymphogranuloma Venereum
Niedelman, M. L.: Acrokeratosis verruciformis (Hopf), 598
Cushing's adrenogenital syndrome, 855
Dermatitis herpetiformis, 854
Granuloma annulare, 854
Keloids, 300
Lupus vulgaris, 598
Pemphigus vulgaris, 592
Pustular syphilis, 859
Niederman, D. J.: Juxta-articular nodes, origin undetermined, 129
Lichen nitidus, 567
Rat mite dermatitis, 138
Nipples: See Breast
Nodes: See also Erythema nodosum; Lymph Nodes; Panniculitis; Rheumatic Fever; etc.
juxta-articular, origin undetermined, 129
Nomenclature; "eosinophilic granulomas" of skin, *155
eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
epidermolysis bullosa; recently described variant, *91
"folliculitis keloidalis" better term than "dermatitis papillaris capillitii," *112
hyperkeratosis penetrans; report of case of probable variant of Kyrle's disease, *633
Kaposi's varicelliform eruption, *327
modes of transmission of Hansen's disease (leprosy), 702
quinacrine hydrochloride dermatitis occurring during war, *453
tinea nigra, *67
venospasm; its part in producing clinical picture of Raynaud's disease, 399
Nose; gumma of nose and upper lip, 145
rhinoscleroma, 733
Novy, F. G., Jr.: Rhinoscleroma, 733
Nutrition: See Diet and Dietetics; Food; Vitamins; etc.

Obermayer, M. E.: Parapsoriasis with pigmentation or urticaria pigmentosa, 429
Obesity associated with acanthosis nigricans juvenilis; report of case, with observations on endocrine dysfunction in benign acanthosis nigricans, *749

Obituaries:
Chipman, Ernest Dwight, 432, 694
Pels, Isaac R., 432
Urbach, Erich, 115, 545
Whitfield, Arthur, 432

Occupational Dermatitis: See Industrial Diseases
Oil, Peanut: See Peanut Oil
Therapy: See Syphilis
Ointments: See also under Rhus; Skin, diseases
bases; scientific principles in design and choice, 553
clinical experience with ointment of synthetic coal tar, *683
dermatitis venenata due to penicillin-containing ointment, 582
future of B. P. ointments, 401
some newer bases for use in cutaneous therapy, 260
topical penicillin therapy; principles of local therapy with penicillin ointment mixtures, *793
topical treatment with penicillin ointment, *52

O'Leary, P. A.: Treatment of various types of cutaneous tuberculosis with promizole and streptomycin; preliminary report, *222
Omens, D. V.: Acute disseminated lupus erythematosus, 136
Case for diagnosis, 570
Scrofuloderma, 132
Tuberculosis cutis orificialis with underlying pulmonary tuberculosis, 571
Omens, H. D.: Acute disseminated lupus erythematosus, 136
Case for diagnosis, 131, 570
Scrofuloderma, 132
Tuberculosis cutis orificialis with underlying pulmonary tuberculosis, 571
Onchocerciasis, 398
Onychia: See under Nails, abnormalities
Onychodystrophy: See under Nails
Onychomycosis: See Nails
Ophthalmoplegia: See Eyes, paralysis
Oppenheim, M.: Blastomycosis, 561
Oriental Sore: See Leishmaniasis
Osborne, E. D.: Clinical use of new antihistaminic compound (pyribenzamine) in certain cutaneous disorders, *309
Otsuka, M.: Tuberculosis cutis orificialis with underlying pulmonary tuberculosis, 571
Outpatient Department: See Syphilis, early
Ovary, cancer; dermatomyositis and malignant tumor, 838

Pachyonychia: See Keratosis; Nails, abnormalities
Paget's Disease: See Breast
Palm Oil, Therapy: See Leprosy
Panniculitis or erythema induratum (Bazin), 560
Parakeratosis: See Parapsoriasis
Paralysis: See Eyes, paralysis; etc.
Parapsoriasis, 278
en gouttes, 589
en plaque, 279
parakeratosis variegata (parapsoriasis variegata S. reticularis), 704
pityriasis lichenoides chronica [Juliusberg]; case for diagnosis, 722
with pigmentation or urticaria pigmentosa, 429
Parasites; parasitic infection or scabies, 597
Parathyroid; chronic idiopathic hypoparathyroidism with superimposed Addison's disease in child, 835
Pardo-Castello, V.: Nerve lesions of leprosy, *783
Parotid Gland, development of sebaceous glands from intralobular ducts of, 117
Patch Test: See Anaphylaxis and Allergy; Food, allergy
Peanut Oil; penicillin in treatment of experimental syphilis of rabbits; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Pediatrics: See Children; Infants; etc.
Pediculoides Ventricosus: See Grain Itch
Pediculosis and scabies treated with benzyl benzoate, DDT and benzocaine emulsion, 835
combination treatment for lice and scabies, 835
Pelada: See Alopecia areata
Peladang: See Pinta
Pellagra, 570. See also Vitamins, B
Pemphigus; case for diagnosis, 142
epidermolysis bullosa; recently described variant, *91
erythematosus (Senear-Usher type), 721
experimental studies on question of cause, 264
familial benign chronic or bullous dyskeratosis, 730
foliaceus; patient treated with unusual amount of acetarsone, *691
histologic findings and Herzberg's stain for virus in, 264
ocular, with scarring of skin and mucous membranes, *37
or dermatitis herpetiformis, 415
Pemphigus—Continued
or lupus erythematosus, 270
vulgaris, 592, 720
vulgaris; study of blood picture, *772
Penicillin; dermatitis venenata due to penicillin-containing ointment, 582
levels in serum and some body fluids during systemic and local therapy, 551
reaction, 549
reaction simulating serum sickness, 261
reactions in treatment of syphilis, *385
Therapy: See also Eyelids; Granuloma inguinale; Pyoderma; Seborrhea; Skin, diseases; Sycosis; Syphilis; Ulcers; Urticaria; etc.
therapy, topical; principles of local therapy with penicillin ointment mixtures, *793
Penis; dermatitis venenata or erythroplasia, 845
erythroplasia (Bowen's disease of mucous membranes), 265
Pensky, N.: Sarcoidosis, 421
Periadenitis: See under Lymph Nodes
Perlman, H. H.: Trichotillomania, 859
Permanent Waving: See Cosmetics
Perry, D. J.: Role of food allergy in eczematoid dermatitis, *493
Perspiration: See under Sweat Glands
Phalanges: See Fingers and Toes
Phlebectasia: See Varicose Veins
Philpott, O. S.: Sulfonamide psoriasiform dermatitis, *525
Photosensitization: See under Light
Phthirus Pubis: See Pediculosis
Phthisis: See Tuberculosis, pulmonary
Physicians: See also Obituaries; etc.
account of stock, 833
Pigmentation: See also Addison's Disease; Melanin; Nevi; Schamberg's Disease; etc.
acanthosis nigricans, 291
arsenical, and keratoses; psoriasis; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
dermatosis, progressive pigmentary, 297
following application of iron salts; report of case in which it was not permanent, *692
idiopathic atrophy of skin; case for diagnosis, 737
idiopathic multiple pigmented sarcoma of Kaposi, 575
lupus erythematosus or chloasma, 426
melanodermatitis (occupational), 562
parapsoriasis with pigmentation or urticaria pigmentosa, 429
pinta-like lesions among natives of Guam, 836
with dyskeratosis congenita, dystrophia unguium and leukoplakia oris; patient with evidence suggestive of Addison's disease, *242
Pill Torti: See Hair, abnormalities
Pillsbury, D. M.: Case for diagnosis, 302
Experiences in military dermatology; their interpretation in plans for improved general medical care, *441
Piñeyro, R.: Nerve lesions of leprosy, *783
Pinta, 288
pinta-like lesions among natives of Guam (peladang), 836
White: See Vitiligo
Pituitary Body; treatment of post-traumatic Simmonds' disease with methyl testosterone linguets, 834
Pityriasis Lichenoides: See Parapsoriasis
rosea, 154
rubra pilaris, 709, 725
rubra pilaris and vitamin A, 401
rubra pilaris with exfoliation, 141
Plants: See under names of plants, as Rhus; etc.
Plasmodium: See Malaria
Pneumococci; effect of sodium bicarbonate on therapeutic effectiveness of sulfadiazine in mice, 697
Poikiloderma atrophicans vasculare; case for diagnosis, 588, 706
atrophicans vasculare (Jacobi), 590
Poison Ivy: See Rhus
Poison Oak: See Rhus
Poisons and Poisoning: See under names of poisonous substances

Polycythemia or poikiloderma atrophicans vasculare, 588
Polymyositis: See Dermatomyositis
Poradenitis: See Lymphogranuloma Venereum
Porokeratosis: See Keratosis
Poryphyria: See Porphyrin and Porphyrin Compounds
Porphyrin and Porphyrin Compounds; acute porphyria; clinical and pathologic observations, 398
Postgraduate Education: See Education
Pratt, A. G.: Hemangioma, 304
Pregnancy; chronic latent oral moniliasis (thrush); report of case of 12 years' duration in which disease was resistant to treatment, *85
congenital glaucoma following maternal rubella, 549
herpes gestationis, 715
Moeller's glossitis; case with remission during pregnancy, *463
penicillin in prevention of prenatal syphilis, 699
Price, H.: Lipoidosis cutis et mucosae; report of case, *42
Prickly Heat: See Miliaria
Printz, D. R.: Dermatosis, progressive pigmentary, 297
Larva migrans, 296
Myoblastoma, 297
Prognosis: See under names of diseases
Promizole: See Tuberculosis
Propamidine: See Amidines
Propionic Acids: Se Ringworm
Proteinosis, Lipid: See Lipoids, metabolism
Proteins, deficiency; its relationship to palmar erythema, 398
possible benefit from protein hydrolysates for exfoliative dermatitis, *397
Prurigo nodularis, 423
Pruritus; benadryl in dermatologic therapy, *101
lichen planus with involvement of palms, 295
lichenoid dermatitis (New Guinea type), 576
Pseudopelade: See Alopecia, cicatrisata
Pseudoxanthoma elasticum, 285
Psoriasis and Streptococcus faecalis; possible interrelation, 119
arsenical pigmentation and keratoses; squamous cell epithelioma of finger with metastasis to axillary lymph nodes, 294
basal cell epithelioma in psoriatic patch, *375
case for diagnosis, 570
granuloma annulare or sarcoid, 151
of palms, 134
or dermatitis medicamentosa, 412
or ichthyosis hystrix, 268
or onychomycosis, 850
sulfonamide psoriasiform dermatitis, *525
superficial basal cell epitheliomas on, 125
Psychobiology: See Mind, body and mind
Psychoneurosis: See Neuroses and Psychoneuroses
Psychoses: See Neuroses and Psychoneuroses
Purple X bulb in diagnosis of fungous diseases of scalp, *396
Purpura annularis telangiectodes, 847
purpuric eruption of lower extremities resembling Schamberg's disease; case for diagnosis, 148
Pyoderma gangrenosum, 714
Kaposi's varicelliform eruption, *327
topical use of penicillin in treatment of, *630
treatment with interface active solution of tyrothricin, 260
Pyribenzamine, new antihistaminic compound; clinical use in certain cutaneous disorders, *309

Quinacrine: See Acridine Dyes

Races: See Negroes; etc.
Radiodermatitis: See Roentgen Rays
Radium, Therapy: See under names of various diseases, as Lips, cancer; etc.
Radon: See Roentgen Rays
Rat Mite: See Mites
Rattner, H.: Dermatomyositis; case for diagnosis, 570
Moeller's glossitis; case with remission during pregnancy, *463
Mycosis fungoides, 562
Rausch, N. G.: Clinical use of new antihistaminic compound (pyribenzamine) in certain cutaneous disorders, *309
Ravitz, S. E.: Neural leprosy; case for diagnosis, 569
Raynaud's Disease; venospasm; its part in producing clinical picture of Raynaud's disease, 399
von Recklinghausen's Disease: See Neurofibromatosis
Reconditioning: See Rehabilitation
Rees, R. B.: Bullous dyskeratosis, (familial benign chronic pemphigus), 730
Idiopathic multiple pigmented sarcoma of Kaposi, 575
Rehabilitation of patients suffering from skin disease, 263
Reiss, F.: Basal squamous cell epithelioma associated with leukemia, *507
Reticuloendothelial System; eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
identification of inhibitory factor of reticuloendothelial immune serum (REIS) in globulin fraction, 261
reticuloendotheliosis or mycosis fungoides, 286
reticulum, or lattice, fibers; further studies, *478
skin and reticular tissue, 552
Reticuloendotheliosis: See Reticuloendothelial System
Reticulosis: See Reticuloendothelial System
Reticulum: See Tissues, connective
Rheumatic Fever, skin lesions of, 262
Rhinoscleroma, 733
Rhus; observations and data on prevention of poison oak dermatitis, 837
pigmentation following application of iron salts; report of case in which it was not permanent, *692
studies on poison ivy and other dermatitis producing plants wherein active, resinous principles are suspended in aqueous solution, 399
Rickettsial Diseases: See Rocky Mountain Spotted Fever
Riehl's Disease: See Melanin
Rifles: See Guns
Ringworm: See also Favus; Mycosis, cutaneous; Tinea; Trichophytosis; etc.
tinea capitis due to Microsporon audouini (3 cases), 147
tinea capitis in southeastern Tennessee, *258
undecylenic and propionic acids in prevention and treatment of dermatophytosis, *391
use of Purple X bulb in diagnosis of fungous diseases of scalp, *396
Ritter's Disease: See Dermatitis, exfoliative
Robinson, S. S.: Acanthosis nigricans juvenilis associated with obesity; report of case with observations on endocrine dysfunction in benign acanthosis nigricans, *749
Chronic latent oral moniliasis (thrush); report of case of 12 years' duration in which disease was resistant to treatment, *85
Rocky Mountain Spotted Fever, 550
Rodin, H. H.: Mycosis fungoides, 562
Roentgen rays, dermatitis, superficial epithelioma, Bowen's disease or neurodermatitis, 851
dermatitis treated with radon ointment, 581
radiodermatitis, 585
radiodermatitis of dorsal surface of hands, 587
Therapy: See under names of organs, regions and diseases, as Bones; Mycosis fungoides; Epithelioma; Sarcoma; etc.
Ronchese, F.: Dermatitis herpetiformis or pemphigus, 415
Rosacea: See Acne rosacea

Rosen, I.: Neurodermatitis—hypertrophic or tumid type; case for diagnosis, 708
Poikiloderma vasculare atrophicans; case for diagnosis, 706
Rothman, S.: Acanthosis nigricans, juvenile type, 139
Calcinosis, generalized, 141
Disseminated subacute lupus erythematosus (?), 565
Erythema induratum (Bazin), 560
Facial hemiatrophy, 135
Heat and emotional urticaria, 566
Juxta-articular nodes, origin undetermined, 129
Lichen nitidus, 567
Linear scleroderma with spina bifida, 130
Lipid proteinosis, 127
Rat mite dermatitis, 138
Xanthomatous biliary cirrhosis with flat xanthomas of eyelids, 556
Rubella; congenital glaucoma following maternal rubella, 549
Rubrophen: See Tuberculids
Rule, A. M.: Penicillin in treatment of experimental syphilis of rabbits; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Rulison, R. H.: Glossitis rhomboidea mediana, 728

Sachs, W.: Epidermolysis bullosa; recently described variant, *91
Sáenz, B.: Relapsing syphilids of genitalia; persistence of lesions 7 months after serologic reversion, *650
Sagher, F.: Leishmania vaccine test in leishmaniasis of skin (Oriental sore); quantitative experiments, *658
Sailors: See Naval Medicine
Salicylazosulfapyridine: See Sulfonamides
Salvarsan: See Arsphenamines
Samitz, M. H.: Case of Bowen's disease, 861
Sanarelli - Shwartzman Phenomenon: See Shwartzman Phenomenon
Sarcoidosis, 421
Boeck's sarcoid, 153
cutaneous manifestations of lymphogranulomatosis benigna (Schaumann), 123
granuloma annulare, psoriasis or sarcoid, 151
of skin, 711
relationship of Boeck's sarcoid and tuberculosis; report of case in which tuberculosis of lymph nodes was associated with features highly suggestive of sarcoid, 399
sarcoid; case for diagnosis, 723
sarcoid or basal cell epithelioma, 734
sarcoid or leprosy, 589
Spiegler-Fendt sarcoid or lupus erythematosus, 736
Sarcoma: See also Cancer; Fibrosarcoma; Lymphosarcoma; Tumors; etc.
idiopathic multiple hemorrhagic (Kaposi), 564
idiopathic multiple pigmented, of Kaposi, 575
Kaposi's; case for diagnosis, 420
multiple idiopathic hemorrhagic, or hemangioendothelioblastoma, 410
mycosis fungoides and similar conditions in Negro, *111
Saunders, T. S.: Clinical experience with ointment of synthetic coal tar, *683
Scabies and pediculosis treated with benzyl benzoate, DDT and benzocaine emulsion, 835
combination treatment for lice and scabies, 835
diagnosis of infestation with "Sarcoptes scabiei" var. "hominis," 838
during war; treatment with benzyl benzoate, *455
epidemiology with attention to its relationship to venereal disease, 123
norvegica in native of East Africa, 839
or leukemid, 595
or parasitic infection, 597
Scalp; cutis verticis gyrata, 146
Diseases: See also under names of diseases, as Favus; Ringworm; Seborrhea; etc.
diseases; use of Purple X bulb in diagnosis of fungous diseases, *396
lupus erythematosus of, 143
tinea capitis due to Microsporon audouini (3 cases), 147
Scars: See Cicatrix
Schamberg's Disease; purpuric eruption of lower extremities resembling Schamberg's disease; case for diagnosis, 148
Schaumann's Disease: See Sarcoidosis
Scheer, M.: Syringoma, 843
Schmidt, O. E. L.: Dermatitis venenata due to penicillin-containing ointment, 582
Unilateral ulceration of mouth (tuberculosis orificialis?), probably with miliary and ileocecal involvement, 580
Schorr, H. C.: Multiple superficial epitheliomatosis, 134
Subacute disseminated lupus erythematosus, 136
Tuberculosis verrucosa cutis and tuberculosis colliquativa, 131
Unexplained fluorescence phenomenon, 564
Schwartz, L.: Dermatitis from glass fabrics, *258
Scleredema: See Scleroderma
Sclerema: See Scleroderma
Scleroderma, generalized progressive, associated with changes in lungs, larynx and esophagus, 269
linear, with spina bifida, 130
localized (morphea) or nevus linearis, 716
morphea-like and basal cell epithelioma of face cured by roentgen ray therapy, 585
or scleredema adultorum, 705
progressive, of skin with cystic sclerodermal changes of lungs, *1
sclerema adiposum neonatorum of both internal and external adipose tissue, 399
with involvement of viscera; report of case, 552
Scleroma: See Rhinoscleroma
Scrofula: See Tuberculosis
Scrofuloderma: See Tuberculosis
Scrotum, angiomas of, 548
Sebaceous Glands; calcified sebaceous cysts; lupus erythematosus of face, 860
development from intralobular ducts of parotid gland, 117
sebaceous secretion and denervation, 404
treatment of infected sebaceous cysts, 838
Seborrhea; dermatitis seborrheica, 717
Secretions, Internal: See Endocrine Glands
Senear, F. E.: Case for diagnosis, 138
Lymphoblastoma, 140
Senear-Usher Syndrome: See Pemphigus
Sensitization: See Anaphylaxis and Allergy; Light
Septum, Nasal: See under Nose
Serodiagnosis: See under names of reactions, as Wassermann Reaction; and under names of conditions, as Syphilis, serodiagnosis; etc.
Serum: See also Blood
antireticular cytotoxic, in chronic skin ulcers, 116
Settle, E. B.: Lipoidosis cutis et mucosae; report of case, *42
Shafer, J. C.: Treatment of early acquired syphilis with 600,000 units of sodium penicillin, *644
Shaffer, B.: Parasitic infection or scabies, 597
Shapiro, A. L.: Acanthosis nigricans, juvenile type, 139
Erythema induratum (Bazin), 560
Shaw, C.: Tinea capitis in southeastern Tennessee, *258
Shock, Anaphylactic: See Anaphylaxis and Allergy
Shoes: See Leather
Shwartzman Phenomenon; anaphylactoid (Sanarelli-Shwartzman) reaction following therapeutic antityphoid injections, 262
Sicklemia: See Anemia, sickle cell
Silvers, S. H.: Tinea barbae, 422
Simmonds' Disease: See Pituitary Body
Skeleton: See Bones

Skin: See also Dermatology
Abnormalities: See also Atrophy; Pigmentation; etc.
abnormalities; atypical chondrodystrophia of type Morquio associated with follicular atrophoderma, 266
and reticular tissue, 552
Atrophy: See Atrophy
Blood Supply: See Capillaries
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
cutaneous diphtheria, 837
cutaneous manifestations of lymphogranulomatosis benigna (Schaumann), 123
cutaneous torulosis in patient with Hodgkin's disease, 738
Diphtheria: See under Diphtheria
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis; etc.; and under names of plants and drugs, as Penicillin; Rhus; etc.
diseases; benadryl in dermatologic therapy, *101
diseases; chief advances in dermatologic diagnosis and treatment occurring during war, *453
diseases; clinical experience with ointment of synthetic coal tar, *683
diseases; clinical use of new antihistaminic compound (pyribenzamine) in certain cutaneous disorders, *309
diseases; cutaneous diphtheria and tropical ulcers, *360
diseases; deficiencies in available methods of dermatologic therapy during war, *456
diseases; dermatologic problems in staging area station hospital, *322
diseases; dermatosis, progressive pigmentary, 297
diseases; experiences in military dermatology; their interpretation in plans for improved general medical care, *441
diseases; incidence in Army, *442
diseases; necrobiosis lipoidica diabeticorum, 427, 428
diseases; planning and investigations to prevent and cure diseases of skin in Army, *445
diseases, prevention and treatment during war [DDT and penicillin], *455
diseases; psychosomatic factors in dermatoses; critical analysis of diagnostic methods of approach, *601
diseases, rehabilitation of patients suffering from, 263
diseases; reticulum, or lattice, fibers; further studies, *478
diseases, role of vitamins in pathogenesis and treatment of, 699
diseases; some newer bases for use in cutaneous therapy, 260
diseases; topical penicillin therapy; principles of local therapy with penicillin ointment mixtures, *793
diseases; topical treatment with penicillin ointment, *52
diseases; unusual dermatosis simulating lichen planus and lichen corneus hypertrophicus; report of 6 cases, *12
effects of glycerite of hydrogen peroxide on infections of skin and mucous membranes, *801
eosinophilic granuloma of bone with cutaneous manifestations; report of case, *810
eosinophilic granuloma of; its relation to erythema elevatum diutinum and eosinophilic granuloma of bone; report of case, *194
eosinophilic granuloma; theoretic and practical considerations based on study of case, *176
"eosinophilic granulomas" of, *155
epithelial symptoms caused by various deficiencies, 555
future of B. P. ointments, 401
granulomatous Hodgkin's disease with extreme eosinophilia (eosinophilic granuloma of skin?), *212
Hemorrhage: See Purpura
Hodgkin's disease without demonstrable systemic involvement, 594
ichthyosiform changes associated with internal diseases, *28

Skin—Continued
Idiosyncrasy: See Anaphylaxis and Allergy; Dermatitis, venenata; etc.
Inflammation: See Dermatitis
lesions during course of ulcerative colitis, 121
lesions of rheumatic fever, 262
lipoidosis cutis et mucosae; report of case, *42
normal and hypersensitive; effect of turpentine oil, 703
Pigmentation: See under Pigmentation; Urticaria
primary lichen amyloidosis; report of necropsy, *251
protective coatings for prevention of sunburn, 118
Reactions: See Anaphylaxis and Allergy
sarcoidosis of, 711
scientific principles in design and choice of ointment bases, 553
self disinfection of; short review and some original observations, 552
sensitivity due to atabrine, 550
syphilis (primary, recurrent), 718
tertiary syphilis of, 413
Tuberculosis: See Tuberculids; Tuberculosis
Tumors: See under Tumors
Ulcers: See under Ulcers
Skolnik, E. A.: Psoriasis of palms, 134
Skull: See Cranium
Smallpox; generalized vaccinia, 120
Smith, D. C.: Treatment of early acquired syphilis with 600,000 units of sodium penicillin, *644
Social Conditions: See under Venereal Diseases
Societies; Rocky Mountain dermatologic society formed, 831
Society for Investigative Dermatology, 432

Society Transactions:
Brooklyn Dermatological Society, 421, 720
Chicago Dermatological Society, 127, 556
Cleveland Dermatological Society, 277
Los Angeles Dermatological Society, 124, 427
Manhattan Dermatologic Society, 705
Metropolitan Dermatological Society, 150, 416, 844
Minnesota Dermatological Society, 143
New England Dermatological Society, 405, 711
New York Academy of Medicine, Section of Dermatology and Syphilis, 425, 840
New York Dermatological Society, 268, 582, 723
Philadelphia Dermatological Society, 299, 591, 854
San Francisco Dermatological Society, 572, 728

Soda, W.: Case for diagnosis, 420
Sodium, bicarbonate; effect on therapeutic effectiveness of sulfadiazine in mice, 697
chloride; penicillin in treatment of experimental syphilis of rabbits; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Gold Thiosulfate: See Gold and Gold Compounds
Soldiers: See Armed Forces Personnel; Aviation and Aviators; Military Medicine; etc.
Spiegler-Fendt Sarcoid: See Sarcoidosis
Spina Bifida with linear scleroderma, 130
Spirochaeta Pallida: See Syphilis
Sporotrichosis or secondary syphilis [treated], 727
papulopustular verrucous, simulating blastomycosis, 290
Spotted Fever: See Rocky Mountain Spotted Fever; Typhus
Stains and Staining; histologic findings and Herzberg's stain for virus in pemphigus, 264
reticulum, or lattice, fibers; further studies, *478
Stevens-Johnson Syndrome: See Erythema multiforme
Steves, R. J.: Kaposi's varicelliform eruption, *327
Still's Disease: See Arthritis, rheumatoid

Stokes, J. H.: Erich Urbach, 545
Stomatitis, aphthous, or periadenitis mucosa necrotica recurrens, 709
due to ingested medication; case for diagnosis, 126
Stevens-Johnson syndrome (eruptive fever with stomatitis and conjunctivitis), 832
Strauss, M. J.: Pigmentation following application of iron salts; report of case in which it was not permanent, *692
Strawberry Nevi: See Angioma
Streptococci faecalis and psoriasis; possible interrelation, 119
Streptomycin: See Bacteria; Tuberculosis
Striae distensae, 559
Stubenrauch, C. H., Jr.: Case for diagnosis, 138
Sudoriparous Glands: See under Sweat Glands
Sulfadiazine: See Mycetoma; Sulfonamides
Sulfapyridine: See Dermatitis herpetiformis; Sulfonamides
Sulfonamides; dermatitis medicamentosa; case for diagnosis, 414
effect of sodium bicarbonate on therapeutic effectiveness of sulfadiazine in mice, 697
erythema multiforme bullosum and dermatitis medicamentosa [sulfonamide compounds], 852
medication, erythema multiforme bullosum due to, 853
psoriasiform dermatitis, *525
psoriasis or dermatitis medicamentosa, 412
Therapy: See Dermatitis herpetiformis; Furunculosis; Mycetoma; etc.
Sulfones: See Tuberculosis
Sulzberger, M. B.: Undecylenic and propionic acids in prevention and treatment of dermatophytosis, *391
Sunburn: See Light
Sunlight: See under Light
Suprarenal Preparations: See Adrenal Preparations
Suprarenals: See Adrenals
Suskind, R. R.: Topical penicillin therapy; principles of local therapy with penicillin ointment mixtures, *793
Sutton, R. L., Jr.: Angiomas of scrotum, 548
Sutton's Disease: See Vitiligo
Sweat Glands; acne conglobata, 284
hidradenitis suppurativa, 713
syringoma, 843
treatment of infected sebaceous cysts, 838
tropical anhidrotic asthenia (thermogenic anhidrosis) and its relationship to prickly heat, 260
Sweeney, A. R.: Acne conglobata, 284
Sweitzer, S. E.: Alopecia areata in infants, 143
Atrophoderma hypoestrogenicum, 148
Cavernous hemangioma of lip, 145
Dermatitis medicamentosa due to gold sodium thiosulfate, 147
Gumma of nose and upper lip, 145
Gumma of testicle; case for diagnosis, 144
Lupus erythematosus of scalp, 143
Purpuric eruption of lower extremities resembling Schamberg's disease; case for diagnosis, 148
Tinea capitis due to Microsporon audouini (3 cases), 147
Sycosis, chronic coccogenous, treated locally with penicillin, 573
lupoid, 274
Synovial Membrane; longitudinal grooving of nails caused by synovial lesions, *828
Syphilids, annular macular, 300
relapsing, of genitalia; persistence of lesions 7 months after serologic reversion, *650
Syphilis: See also Neurosyphilis; Syphilids; Venereal Diseases; and under names of organs, regions and diseases, as Eyes; Meninges; etc.
acute syphilitic bilateral total ophthalmoplegia, *686
agranulocytosis; report of 12 cases in which it followed intensive arsenotherapy for syphilis, *57
bismuth in treatment, 116
congenital, and hemolytic disease in siblings, 263
Diagnosis: See Syphilis, serodiagnosis
Syphilis—Continued
dichlormapharsen in treatment, 836
early acquired; treatment with 600,000 units of sodium penicillin, *644
early; out-patient treatment with penicillin, 701
early; penicillin therapy in 14,000 patients; follow-up examination of 792 patients 6 or more months after treatment, 698
early; relapse following penicillin therapy, 572
early tertiary, 150
effect of penicillin in experimental rabbit syphilis, 119
experimental, of rabbits; penicillin in treatment; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Hereditary: See Syphilis, congenital
of skin (primary, recurrent), 718
postarsphenamine vitiligo, 272
prenatal, penicillin in prevention of, 699
problem of reinoculation of human beings with Spirocheta pallida, 698
pustular, 859
reactions in treatment with penicillin, *385
secondary [treated] or sporotrichosis, 727
serodiagnosis; cardiolipin-lecithin antigen; recent development toward single standard test of blood for syphilis, *514
some obscure and paradoxical problems of, 700
syphilitic glossitis; case for diagnosis, 407
syphilitic keratosis, 578
tertiary, frambesiform, 840
tertiary; gumma of nose and upper lip, 145
tertiary; gumma of testicle; case for diagnosis, 144
tertiary, of skin, 413
tertiary, simulating lupus annularis of cervical region, 554
toxic effects of arsenical compounds as administered in United States Navy in 1944, with reference to arsenical dermatitis, 262
tuberculosis orificialis; case for diagnosis, 409
visit to leper colony, 702
Syphiloid; "eosinophilic granulomas" of skin, *155
Syringocystadenoma, 420
Syringoma, 843
Syringomyelia; perforating ulcer of foot in 2 sisters, 430

Tar; clinical experience with ointment of synthetic coal tar, *683
Tasker, S.: Acanthosis nigricans juvenilis associated with obesity; report of case with observations on endocrine dysfunction in benign acanthosis nigricans, *749
Chronic latent oral moniliasis (thrush); report of case of 12 years' duration in which disease was resistant to treatment, *85
Tavs, L. E.: Urticaria pigmentosa with bullae, 558
Teaching: See Education
Templeton, H. J.: Papular urticaria or dermatitis herpetiformis, 731
Spiegler-Fendt sarcoid or lupus erythematosus, 736
Terminology: See Nomenclature
Testes; gumma of testicle; case for diagnosis, 144
penicillin in treatment of experimental syphilis of rabbits; therapeutic activity of penicillin in single and multiple doses in isotonic solution of sodium chloride and peanut oil-beeswax by intramuscular injection, *741
Testosterone: See Androgens
Thiamine: See Vitamins, B
Thigh: See Legs
Throat: See Larynx
Thromboangiitis obliterans, use of trichophytin in, *512
Thrush: See Moniliasis
Thumbs: See under Fingers and Toes

Thurmon, E. M.: Effects of glycerite of hydrogen peroxide on infections of skin and mucous membranes, *801
Psoriasis or dermatitis medicamentosa, 412
Thyroid: See Parathyroid
Tiant, F. R.: Nerve lesions of leprosy, *783
Tick Fevers: See Rocky Mountain Spotted Fever
Tinea: See also Ringworm
barbae, 422
Capitis: See Ringworm
corporis (glabrosa); dermatophytosis of hands and feet, 848
Decalvans: See Alopecia areata
Favosa: See Favus
nigra, *67
Tissue: See also Cells
Adipose: See Fat
birefringence in, 834
connective; reticulum, or lattice, fibers; further studies, *478
connective; scleroderma with involvement of viscera; report of case, 552
skin and reticular tissue, 552
Staining: See Stains and Staining
Toes: See Fingers and Toes
Nails: See Nails
Tomaszewski, W.: Ichthyosiform changes of skin associated with internal diseases, *28
Tongue, angiomas associated with angiomas of scrotum, 548
glossitis rhomboidea mediana, 727
lichen planus, 153
Moeller's glossitis; case with remission during pregnancy, *463
myoblastoma, 297
syphilitic glossitis; case for diagnosis, 407
Torrey, F. A.: Cutaneous torulosis in patient with Hodgkin's disease, 738
Hodgkin's disease complicated by squamous cell epithelioma of neck, 574
Lymphoblastoma, 735
Torula; cutaneous torulosis in patient with Hodgkin's disease, 738
Toxicoderma: See Dermatitis venenata; Drugs, eruptions
Trachea; search for virus-inactivating substances among microorganisms, 119
Traub, E. F.: Granuloma annulare, generalized, 583
Larva migrans, 728
Sarcoid; case for diagnosis, 723
Trichoderma: See Fungi
Trichoepithelioma, 726
Trichofolliculoma: See Hair
Trichophytid: See Trichophytosis
Trichophytin: See Thromboangiitis
Trichophyton camerounense, cause of dermatophytosis of face, *337
Trichophytosis; kerions, 572
use of trichophytin in thromboangiitis obliterans, *512
Trichotillomania, 859
Tropical Medicine: See also under names of tropical diseases, as Leishmaniasis; Ulcers, tropical; etc.
atypical lichen planus tropicalis, *535
cutaneous diphtheria occurring during war, *454
lichenoid dermatitis, 835
prickly heat, 554
topical use of penicillin in treatment of pyoderma, *630
tropical anhidrotic asthenia (thermogenic anhidrosis) and its relationship to prickly heat, 260
Tropics: See Tropical Medicine; and under names of diseases, as Diphtheria; Miliaria
Tubercle Bacilli: See Tuberculosis
Tuberculids: See also under Tuberculosis
rubrophen in cutaneous tuberculosis, 703
Tuberculosis: See also Tuberculids; and under names of diseases, organs and regions, as Lymph Nodes; etc.
allergy, development of, 702
and Boeck's sarcoid, relationship of; report of case in which tuberculosis of lymph nodes was associated with features highly suggestive of sarcoid, 399
colliquativa and tuberculosis verrucosa cutis, 131
Tuberculosis—Continued
cutaneous; treatment of various types with promizole and streptomycin; preliminary report, *222
cutis or Bowen's disease, 418
cutis orificialis with underlying pulmonary tuberculosis, 571
nerve lesions of leprosy, *783
of skin, 587
or lichen nitidus, 567
orificialis; case for diagnosis, 409
orificialis; unilateral ulceration of mouth (tuberculosis orificialis?), probably with miliary and ileocecal involvement, 580
pulmonary; tuberculosis cutis orificialis with underlying pulmonary tuberculosis, 571
scrofuloderma, 132
verrucosa cutis and tuberculosis colliquativa, 131
visit to leper colony, 702
Tumors: See also Angioma; Cancer; Dermatofibroma; Epithelioma; Fibrosarcoma; Granuloma; Hemangioma; Lymphoblastoma; Lymphosarcoma; Melanoma; Myoblastoma; Myoma; Rhinoscleroma; Sarcoma; Syringoma; and under names of organs and regions, as Nerves; etc.
cutaneous horn, 282
new type of granulomatosis with generalized tumors simulating mycosis fungoides with fatal outcome, 265
Turpentine oil; effect on normal and hypersensitive skin, 703
Twins; multiple keloids in twin sisters, 426
Typhoid; anaphylactoid (Sanarelli-Shwartzman) reaction following therapeutic antityphoid injections, 262
Typhus; allergic reaction following typhus fever vaccine and yellow fever vaccine due to egg yolk sensitivity, 400
Tyrothricin: See Pyoderma

Ulcers: See also under names of organs and regions
acute pyogenic, factitial or anaerobic, 301
antireticular cytotoxic serum in chronic skin ulcers, 116
cause of phagedenic soft chancre, 267
perforating, of foot in 2 sisters, 430
sickle cell anemia in white patients with ulcers of ankles; report of 2 cases, 833
trophic, and inflammation in denervated areas, 403
Tropical: See also Leishmaniasis; etc.
tropical, and cutaneous diphtheria, *360
tropical, in Guatemala, 117
tropical; initial treatment, 263
tuberculosis cutis orificialis with underlying pulmonary tuberculosis, 571
unilateral ulceration of mouth (tuberculosis orificialis?), probably with miliary and ileocecal involvement, 580
Varicose: See Varicose Veins
Ultraviolet Rays: See under Light
Therapy: See under names of organs, regions and diseases
Undecylenic Acid: See Moniliasis; Ringworm
Urea; effect of urea, urethane and other carbamates on bacterial growth, 119
Urethane: See Ethyl Carbamates
Urticaria; benadryl in dermatologic therapy, *101
clinical use of new antihistaminic compound (pyribenzamine) in certain cutaneous disorders, *309
emotional, and heat, 566
giant, with lymphedema, 416
papular, or dermatitis herpetiformis, 731
pigmentosa (nodular type), 280
pigmentosa of peculiar, livedo-racemosa-like design, 266
pigmentosa or parapsoriasis with pigmentation, 429
pigmentosa with bullae, 558
reaction to penicillin simulating serum sickness, 261
solare (4000-5000A), 836
solaris; studies in hypersensitivity to light, 836

Urticaria—Continued
use of histamine antagonist, beta-dimethylaminethyl benzhydryl ether hydrochloride, in allergic disease, 832
Usher-Senear Syndrome: See Pemphigus

Vaccine Therapy: See Furunculosis; Leishmaniasis; Typhoid; Typhus; Yellow Fever; etc.
Vaccinia: See Smallpox
Vagina; chronic latent oral monilasis (thrush); report of case of 12 years' duration in which disease was resistant to treatment, *85
Varicella: See Chickenpox
Varicose Veins; congenital absence of valves in veins as cause of varicosities, *639
Variola: See Smallpox
Vaselinoderma, verrucosum; case for diagnosis, 131
Vasomotor System: See also Arteries; Capillaries; Veins
allergic reaction following typhus fever vaccine and yellow fever vaccine due to egg yolk sensitivity, 400
angioneurotic edema, 591
mechanism of axonal vasodilation, 403
Veins: See also Vasomotor System; etc.
congenital absence of valves in veins as cause of varicosities, *639
Varicose: See Varicose Veins
venospasm; its part in producing clinical picture of Raynaud's disease, 399
Venereal Diseases: See also Chancroid; Gonorrhea; Neurosyphilis; Syphilis; etc.
epidemiology of scabies with attention to its relationship to, 123
in Army Air Forces in continental United States, 1942-1944, 697
relation of dermatology and venereology, *452
Verruca, confluent eruption of verrucae planae of hands, forearms and neck, simulating epidermodysplasia verruciformis, associated, however, with verrucae vulgaris, 267
epidermodysplasia verruciformis, 727, 845
epidermodysplasia verruciformis [inoculation test], 554
epidermodysplasia verruciformis or chronic myeloid leukemia, 280
keratosis palmaris et plantaris (epidermodysplasia verruciformis?), 856
leishmaniasis verrucosa of face, *358
papulopustular verrucous sporotrichosis simulating blastomycosis, 290
Tuberculosis: See under Tuberculosis
Vesication, bullous dyskeratosis (familial benign chronic pemphigus), 730
lichen sclerosus et atrophicus with bullous lesions and extensive involvement; report of case, *433
pemphigus vulgaris, 720
urticaria pigmentosa with bullae, 558
Viruses: See also Herpes simplex; Stains and Staining
search for virus-inactivating substances among microorganisms, 119
Viscera, scleroderma with involvement of; report of case, 552
Vitamins; role in pathogenesis and treatment of skin diseases, 699
A and pityriasis rubra pilaris, 401
A; case for diagnosis, 138
A; ichthyosiform changes of skin associated with internal diseases, *28
A; juvenile acanthosis nigricans and ichthyosis, 411
A treatment of acne vulgaris, *355
B: See also Pellagra
B; epithelial symptoms caused by various deficiencies, 555
Vitiligo, generalized; alopecia of undetermined cause, 425
leukoderma acquisitum centrifugum, 429
leukoderma acquisitum centrifugum (Sutton) and reproduction of presentation of similar cutaneous changes on panel of altar of Isenheim, 266
postarsphenamine, 272
Vulvovaginitis, monilial; undecylenic acid in treatment, *113

Walzer, A.: Prurigo nodularis, 423
Pseudopelade, 424
War: See Aviation and Aviators; Military Medicine; Naval Medicine; etc.
Warts: See Verruca
Wassermann Reaction: See also under Syphilis
falsely positive Wassermann and Kahn reactions in infective hepatitis, 701
Way, S. C.: Reticulum, or lattice, fibers; further studies, *478
Wearing Apparel: See Clothing; Leather
Weber-Christian Disease: See Panniculitis
Weichselbaum, P. K.: Lymphoblastoma, 140
Weidman, F. D.: Annular, macular syphilid, 300
"Eosinophilic granulomas" of skin, *155
Granulomatous Hodgkin's disease of skin with extreme eosinophilia (eosinophilic granuloma of skin?), *212
Iodide dermatitis, 305
Leukemid or scabies, 595
Westcott, R. J.: Elephantiasis neuromatosa; manifestation of von Recklinghausen's disease, *233
Wheal: See Urticaria
White, C. J.: Neural leprosy; case for diagnosis, 569
Striae distensae, 559
White Spot Disease: See Scleroderma
Winer, L. H.: Atrophoderma hypoestrogenicum, 148
Winiwarter-Buerger Disease: See Thromboangiitis obliterans
Wise, F.: Erythema annulare centrifugum, 582
Exudative discoid and lichenoid chronic dermatosis, 273
Lupoid sycosis, 274
Parapsoriasis en gouttes, 589
Poikiloderma vasculare atrophicans (Jacobi), 590
Radiodermatitis of dorsal surface of hands, 587
Tuberculosis of skin, 587
Wolf, J.: Basal cell epithelioma of forearm, 425
Lupus erythematosus or chloasma, 426
Nodular lesions of face; case for diagnosis, 842
Pityriasis rubra pilaris, 709
Wood's Light: See Fluorescence
Wounds; effect of urea, urethane and other carbamates on bacterial growth, 119
Wright, C. S.: Dermatitis herpetiformis, 854
Disseminated lupus erythematosus treated with sodium bismuth triglycollamate ("bistrimate tablets"), 862, 863
Keratotic lupus erythematosus treated with sodium bismuth triglycollamate ("bistrimate tablets"), 863
Larva migrans, 856
Pachyonychia congenita; report of 2 cases with studies on therapy, *819
Topical treatment with penicillin ointment, *52

Xanthelasma: See under Xanthoma
Xanthoma disseminatum, 406
disseminatum and tuberosum et planum, 405
eruptivum, 556
xanthomatous biliary cirrhosis with flat xanthomas of eyelids, 556
Xanthomatosis: See Xanthoma
X-Rays: See Roentgen Rays

Yaws: See Frambesia
Yellow Fever; allergic reaction following typhus fever vaccine and yellow fever vaccine due to egg yolk sensitivity, 400

Zakon, S. J.: Idiopathic multiple hemorrhagic sarcoma (Kaposi), 564
Zinc: See Mycosis
Zona: See Herpes zoster
Zugerman, I.: Angioneurotic edema, 591